UNIVERSITY^{OF} BIRMINGHAM University of Birmingham Research at Birmingham

The primary health-care system in China

Xi, Li; Cheng, Kar

DOI: 10.1016/S0140-6736(17)33109-4

License: Creative Commons: Attribution-NonCommercial-NoDerivs (CC BY-NC-ND)

Document Version Peer reviewed version

Citation for published version (Harvard):

Xi, L & Cheng, K 2017, 'The primary health-care system in China', *The Lancet*, vol. 390, no. 10112, pp. 2584-2594. https://doi.org/10.1016/S0140-6736(17)33109-4

Link to publication on Research at Birmingham portal

General rights

Unless a licence is specified above, all rights (including copyright and moral rights) in this document are retained by the authors and/or the copyright holders. The express permission of the copyright holder must be obtained for any use of this material other than for purposes permitted by law.

•Users may freely distribute the URL that is used to identify this publication.

Users may download and/or print one copy of the publication from the University of Birmingham research portal for the purpose of private study or non-commercial research.
User may use extracts from the document in line with the concept of 'fair dealing' under the Copyright, Designs and Patents Act 1988 (?)

•Users may not further distribute the material nor use it for the purposes of commercial gain.

Where a licence is displayed above, please note the terms and conditions of the licence govern your use of this document.

When citing, please reference the published version.

Take down policy

While the University of Birmingham exercises care and attention in making items available there are rare occasions when an item has been uploaded in error or has been deemed to be commercially or otherwise sensitive.

If you believe that this is the case for this document, please contact UBIRA@lists.bham.ac.uk providing details and we will remove access to the work immediately and investigate.

1. Method of literature searching

We searched the PubMed/Medline (1966-2017) and CNKI (China National Knowledge Infrastructure) database in July 2016, to identify relevant studies on seven domains of primary health care (structural, human resources, electronic health record system, financial, insurance, medications, and quality of care) in China. In the PubMed/Medline (1966-2017), we used MeSH and free text terms in conjunction to increase sensitivity to potentially appropriate literature. The MeSH terms include "primary health care", "General Practice", "General Practitioners", "Physicians, Family ", "Community Health Services", "Delivery of Health Care", and terms for each specific domain. Search terms and all their possible synonyms and spellings were identified and used in the search strategy (Table A-1). In the database of CNKI, we used similar strategy to include literature published in Chinese journals (Table A-1).

Search topic	Query	Items found
EHR system	Search (China[Title/Abstract] OR Chinese[Title/Abstract]) AND ("primary health care"[Mesh] OR "General Practice"[Mesh] OR	26
	"General Practitioners" [Mesh] OR "Physicians, Family "[Mesh] OR "Community Health Services" [Mesh] OR "Delivery of Health	
	Care"[Mesh] OR "township hospital"[Title/Abstract] OR "township health center"[Title/Abstract] OR "township health	
	centre"[Title/Abstract] OR "community health station"[Title/Abstract] OR "village clinic"[Title/Abstract] OR "community health	
	center"[Title/Abstract] OR "community health centre"[Title/Abstract]) AND ("Electronic Health Records"[Mesh] OR "Hospital	
	Information Systems"[Mesh] OR "information technology"[Title/Abstract]) AND ((eng[Language]) OR chi[Language]) NOT	

Table A-1 English literature from PubMed/Medline

Search topic	Query	Items found
	"Autobiography" [ptyp] NOT "Bibliography" [ptyp] NOT "Biography" [ptyp] NOT "Consensus Development Conference" [ptyp]	
	NOT "Consensus Development Conference, NIH" [ptyp] NOT "Corrected and Republished Article" [ptyp] NOT "Dataset" [ptyp]	
	NOT "Dictionary" [ptyp] NOT "Directory" [ptyp] NOT "Duplicate Publication" [ptyp] NOT "Electronic Supplementary	
	Materials"[ptyp] NOT "Festschrift"[ptyp] NOT "Interactive Tutorial"[ptyp] NOT "Legal Cases"[ptyp] NOT "Letter"[ptyp] NOT	
	"News" [ptyp] NOT "Patient Education Handout" [ptyp] NOT "Periodical Index" [ptyp] NOT "Personal Narratives" [ptyp] NOT	
	"Portraits" [ptyp] NOT "Published Erratum" [ptyp] NOT "Retracted Publication" [ptyp] NOT "Retraction of Publication" [ptyp] NOT	
	"Twin Study" [ptyp] NOT "Video-Audio Media" [ptyp] NOT "Webcasts" [ptyp]	
Medications	Search (China[Title/Abstract] OR Chinese[Title/Abstract]) AND ("primary health care"[Mesh] OR "General Practice"[Mesh] OR	434
	"General Practitioners" [Mesh] OR "Physicians, Family" [Mesh] OR "Community Health Services" [Mesh] OR "Delivery of Health	
	Care"[Mesh] OR "township hospital"[Title/Abstract] OR "township health center"[Title/Abstract] OR "township health	
	centre"[Title/Abstract] OR "community health station"[Title/Abstract] OR "village clinic"[Title/Abstract] OR "community health	
	center"[Title/Abstract] OR "community health centre"[Title/Abstract]) AND ("Drugs, Essential"[Mesh] OR "Medication	
	Systems"[Mesh] OR "Medicine, Chinese Traditional"[Mesh]) AND ((eng[Language]) OR chi[Language]) NOT	
	"Autobiography" [ptyp] NOT "Bibliography" [ptyp] NOT "Biography" [ptyp] NOT "Consensus Development Conference" [ptyp]	
	NOT "Consensus Development Conference, NIH" [ptyp] NOT "Corrected and Republished Article" [ptyp] NOT "Dataset" [ptyp]	
	NOT "Dictionary" [ptyp] NOT "Directory" [ptyp] NOT "Duplicate Publication" [ptyp] NOT "Electronic Supplementary	

Search topic	Query	Items found
	Materials" [ptyp] NOT "Festschrift" [ptyp] NOT "Interactive Tutorial" [ptyp] NOT "Legal Cases" [ptyp] NOT "Letter" [ptyp] NOT	
	"News" [ptyp] NOT "Patient Education Handout" [ptyp] NOT "Periodical Index" [ptyp] NOT "Personal Narratives" [ptyp] NOT	
	"Portraits" [ptyp] NOT "Published Erratum" [ptyp] NOT "Retracted Publication" [ptyp] NOT "Retraction of Publication" [ptyp] NOT	
	"Twin Study"[ptyp] NOT "Video-Audio Media"[ptyp] NOT "Webcasts"[ptyp]	
Quality	Search (China[Title/Abstract] OR Chinese[Title/Abstract]) AND ("primary health care"[Mesh] OR "General Practice"[Mesh] OR	7675
	"General Practitioners" [Mesh] OR "Physicians, Family "[Mesh] OR "Community Health Services" [Mesh] OR "Delivery of Health	
	Care"[Mesh] OR "township hospital"[Title/Abstract] OR "township health center"[Title/Abstract] OR "township health	
	centre"[Title/Abstract] OR "community health station"[Title/Abstract] OR "village clinic"[Title/Abstract] OR "community health	
	center"[Title/Abstract] OR "community health centre"[Title/Abstract]) AND ("Health Services Accessibility"[Mesh] OR	
	"Healthcare Disparities" [Mesh] OR "Practice Patterns, Physicians" [Mesh] OR "Practice Patterns, Nurses" [Mesh] OR	
	"Professional-Patient Relations" [Mesh] OR "Health Services Research" [Mesh] OR "Quality of Health Care" [Mesh] OR	
	"quality"[Title/Abstract] OR "performance"[Title/Abstract]OR behavior [Title/Abstract] OR behaviors [Title/Abstract] OR	
	behaviour [Title/Abstract] OR behaviours [Title/Abstract] OR "disparities"[Title/Abstract] OR "disparity"[Title/Abstract] OR	
	"gap"[Title/Abstract] OR "gaps"[Title/Abstract] OR "measure"[Title/Abstract] OR "measurements"[Title/Abstract] OR	
	"adherence" [Title/Abstract] OR Inequity [Title/Abstract] OR equity [Title/Abstract] OR inefficiency [Title/Abstract] OR	
	efficiency[Title/Abstract] OR efficient[Title/Abstract]) AND ((eng[Language]) OR chi[Language]) NOT "Autobiography"[ptyp]	

Search topic	Query	Items found
	NOT "Bibliography" [ptyp] NOT "Biography" [ptyp] NOT "Consensus Development Conference" [ptyp] NOT "Consensus	
	Development Conference, NIH"[ptyp] NOT "Corrected and Republished Article"[ptyp] NOT "Dataset"[ptyp] NOT	
	"Dictionary" [ptyp] NOT "Directory" [ptyp] NOT "Duplicate Publication" [ptyp] NOT "Electronic Supplementary Materials" [ptyp]	
	NOT "Festschrift"[ptyp] NOT "Interactive Tutorial"[ptyp] NOT "Legal Cases"[ptyp] NOT "Letter"[ptyp] NOT "News"[ptyp] NOT	
	"Patient Education Handout" [ptyp] NOT "Periodical Index" [ptyp] NOT "Personal Narratives" [ptyp] NOT "Portraits" [ptyp] NOT	
	"Published Erratum" [ptyp] NOT "Retracted Publication" [ptyp] NOT "Retraction of Publication" [ptyp] NOT "Twin Study" [ptyp]	
	NOT "Video-Audio Media"[ptyp] NOT "Webcasts"[ptyp]	
Human resources	Search (China[Title/Abstract] OR Chinese[Title/Abstract]) AND ("primary health care"[Mesh] OR "General Practice"[Mesh] OR	4557
	"General Practitioners" [Mesh] OR "Physicians, Family "[Mesh] OR "Community Health Services" [Mesh] OR "Delivery of Health	
	Care"[Mesh] OR "township hospital"[Title/Abstract] OR "township health center"[Title/Abstract] OR "township health	
	centre"[Title/Abstract] OR "community health station"[Title/Abstract] OR "village clinic"[Title/Abstract] OR "community health	
	center"[Title/Abstract] OR "community health centre"[Title/Abstract]) AND ("manpower"[Mesh] OR "Education, Public Health	
	Professional"[Mesh] OR "Education, Professional"[Mesh] OR "Education, Medical, Continuing"[Mesh] OR	
	"Professionalism"[Mesh] OR "Career Choice"[Mesh] OR "Career Mobility"[Mesh] OR "human resources"[Title/Abstract] OR	
	"retention"[Title/Abstract] OR "incentives"[Title/Abstract] OR "salary"[Title/Abstract] OR "professional medical	
	master"[Title/Abstract] OR Motivation[Mesh] OR "Salaries and Fringe Benefits"[Mesh] OR "Staff Development"[Mesh] OR	

Search topic	Query	Items found
	"Inservice Training" [Mesh] OR "Training Support" [Mesh] OR "Physician Incentive Plans" [Mesh] OR "Employee Incentive	
	Plans" [Mesh] OR "Personnel Management" [Mesh] OR "Health Resources" [Mesh] OR incentive [Title/Abstract] OR	
	motivation[Title/Abstract] OR motivations[Title/Abstract] OR motivating[Title/Abstract] OR salaries[Title/Abstract] OR	
	income[Title/Abstract] OR wage[Title/Abstract] OR wages[Title/Abstract] OR "financial reward"[Title/Abstract] OR "financial	
	rewards"[Title/Abstract] OR "fringe benefit"[Title/Abstract] OR "fringe benefits"[Title/Abstract] OR train[Title/Abstract] OR	
	training[Title/Abstract] OR trainings[Title/Abstract] OR scholarship[Title/Abstract] OR scholarships[Title/Abstract] OR	
	education[Title/Abstract] OR educational[Title/Abstract] OR "career development"[Title/Abstract] OR "development	
	opportunity"[Title/Abstract] OR "development opportunities"[Title/Abstract] OR "resource availability"[Title/Abstract] OR	
	"resources availability"[Title/Abstract] OR "working condition"[Title/Abstract] OR "working conditions"[Title/Abstract] OR "work	
	condition"[Title/Abstract] OR "work conditions"[Title/Abstract] OR "working environment"[Title/Abstract] OR "working	
	environments"[Title/Abstract] OR "work environment"[Title/Abstract] OR "work environments"[Title/Abstract] OR "human	
	resource management"[Title/Abstract] OR "human resources management"[Title/Abstract] OR "personnel	
	management"[Title/Abstract] OR "Personnel Turnover" [Mesh] OR "Emigration and Immigration" [Mesh] OR Personnel	
	Loyalty[Mesh] OR "Professional Practice Location" [Mesh] OR attraction[Title/Abstract] OR attracting[Title/Abstract] OR	
	attract[Title/Abstract] OR attracted[Title/Abstract] OR attracts[Title/Abstract] OR retaining[Title/Abstract] OR retain[Title/Abstract]	
	OR retained[Title/Abstract] OR retains[Title/Abstract] OR recruitment[Title/Abstract] OR recruiting[Title/Abstract] OR	

Search topic	Query	Items found
	recruit[Title/Abstract] OR recruited[Title/Abstract] OR recruits[Title/Abstract] OR migration[Title/Abstract] OR	
	migrate[Title/Abstract] OR migrating[Title/Abstract] OR migrated[Title/Abstract] OR migrates[Title/Abstract] OR	
	immigration[Title/Abstract] OR immigrate[Title/Abstract] OR immigrating[Title/Abstract] OR immigrated[Title/Abstract] OR	
	immigrates[Title/Abstract] OR emigration[Title/Abstract] OR emigrate[Title/Abstract] OR emigrating[Title/Abstract] OR	
	emigrated[Title/Abstract] OR emigrates[Title/Abstract] OR mobility[Title/Abstract] OR turnover[Title/Abstract] OR "brain	
	drain"[Title/Abstract]) AND ((eng[Language]) OR chi[Language]) NOT "Autobiography"[ptyp] NOT "Bibliography"[ptyp] NOT	
	"Biography" [ptyp] NOT "Consensus Development Conference" [ptyp] NOT "Consensus Development Conference, NIH" [ptyp]	
	NOT "Corrected and Republished Article" [ptyp] NOT "Dataset" [ptyp] NOT "Dictionary" [ptyp] NOT "Directory" [ptyp] NOT	
	"Duplicate Publication" [ptyp] NOT "Electronic Supplementary Materials" [ptyp] NOT "Festschrift" [ptyp] NOT "Interactive	
	Tutorial"[ptyp] NOT "Legal Cases"[ptyp] NOT "Letter"[ptyp] NOT "News"[ptyp] NOT "Patient Education Handout"[ptyp] NOT	
	"Periodical Index" [ptyp] NOT "Personal Narratives" [ptyp] NOT "Portraits" [ptyp] NOT "Published Erratum" [ptyp] NOT "Retracted	
	Publication"[ptyp] NOT "Retraction of Publication"[ptyp] NOT "Twin Study"[ptyp] NOT "Video-Audio Media"[ptyp] NOT	
	"Webcasts"[ptyp]	
Insurance	Search (China[Title/Abstract] OR Chinese[Title/Abstract]) AND ("primary health care"[Mesh] OR "General Practice"[Mesh] OR	422
	"General Practitioners" [Mesh] OR "Physicians, Family "[Mesh] OR "Community Health Services" [Mesh] OR "Delivery of Health	
	Care"[Mesh] OR "township hospital"[Title/Abstract] OR "township health center"[Title/Abstract] OR "township health	

Search topic	Query	Items found
	centre"[Title/Abstract] OR "community health station"[Title/Abstract] OR "village clinic"[Title/Abstract] OR "community health	
	center"[Title/Abstract] OR "community health centre"[Title/Abstract]) AND ("Insurance, Health"[Mesh] OR	
	"out-of-pocket" [Title/Abstract] OR "New Rural Cooperative" [Title/Abstract] OR affordability [Title/Abstract] OR	
	affordable[Title/Abstract] OR catastrophic[Title/Abstract] OR "urban resident basic medical insurance"[Title/Abstract] OR	
	"cooperative medical scheme "[Title/Abstract] OR "NCMS"[Title/Abstract] OR "financial protection"[Title/Abstract]) AND	
	((eng[Language]) OR chi[Language]) NOT "Autobiography"[ptyp] NOT "Bibliography"[ptyp] NOT "Biography"[ptyp] NOT	
	"Consensus Development Conference" [ptyp] NOT "Consensus Development Conference, NIH" [ptyp] NOT "Corrected and	
	Republished Article" [ptyp] NOT "Dataset" [ptyp] NOT "Dictionary" [ptyp] NOT "Directory" [ptyp] NOT "Duplicate	
	Publication"[ptyp] NOT "Electronic Supplementary Materials"[ptyp] NOT "Festschrift"[ptyp] NOT "Interactive Tutorial"[ptyp]	
	NOT "Legal Cases" [ptyp] NOT "Letter" [ptyp] NOT "News" [ptyp] NOT "Patient Education Handout" [ptyp] NOT "Periodical	
	Index"[ptyp] NOT "Personal Narratives"[ptyp] NOT "Portraits"[ptyp] NOT "Published Erratum"[ptyp] NOT "Retracted	
	Publication"[ptyp] NOT "Retraction of Publication"[ptyp] NOT "Twin Study"[ptyp] NOT "Video-Audio Media"[ptyp] NOT	
	"Webcasts"[ptyp]	
Financial	Search (China[Title/Abstract] OR Chinese[Title/Abstract]) AND ("primary health care"[Mesh] OR "General Practice"[Mesh] OR	1110
	"General Practitioners" [Mesh] OR "Physicians, Family "[Mesh] OR "Community Health Services" [Mesh] OR "Delivery of Health	
	Care"[Mesh] OR "township hospital"[Title/Abstract] OR "township health center"[Title/Abstract] OR "township health	

Search topic	Query	Items found
	centre"[Title/Abstract] OR "community health station"[Title/Abstract] OR "village clinic"[Title/Abstract] OR "community health	
	center"[Title/Abstract] OR "community health centre"[Title/Abstract]) AND ("Healthcare Financing"[Mesh] OR	
	"Remuneration"[Mesh] OR "Capital Financing"[Mesh] OR "Health Resources"[Mesh] OR "Resource Allocation"[Mesh] OR	
	payment[Title/Abstract] OR subsidy[Title/Abstract] OR subsidies[Title/Abstract] OR budget[Title/Abstract] OR fund[Title/Abstract]	
	OR resource[Title/Abstract] OR resources[Title/Abstract] OR resourcing[Title/Abstract]) AND ((eng[Language]) OR	
	chi[Language]) NOT "Autobiography"[ptyp] NOT "Bibliography"[ptyp] NOT "Biography"[ptyp] NOT "Consensus Development	
	Conference" [ptyp] NOT "Consensus Development Conference, NIH" [ptyp] NOT "Corrected and Republished Article" [ptyp] NOT	
	"Dataset" [ptyp] NOT "Dictionary" [ptyp] NOT "Directory" [ptyp] NOT "Duplicate Publication" [ptyp] NOT "Electronic	
	Supplementary Materials" [ptyp] NOT "Festschrift" [ptyp] NOT "Interactive Tutorial" [ptyp] NOT "Legal Cases" [ptyp] NOT	
	"Letter" [ptyp] NOT "News" [ptyp] NOT "Patient Education Handout" [ptyp] NOT "Periodical Index" [ptyp] NOT "Personal	
	Narratives" [ptyp] NOT "Portraits" [ptyp] NOT "Published Erratum" [ptyp] NOT "Retracted Publication" [ptyp] NOT "Retraction of	
	Publication"[ptyp] NOT "Twin Study"[ptyp] NOT "Video-Audio Media"[ptyp] NOT "Webcasts"[ptyp]	
Structural	Search (China[Title/Abstract] OR Chinese[Title/Abstract]) AND ("primary health care"[Mesh] OR "General Practice"[Mesh] OR	2435
	"General Practitioners" [Mesh] OR "Physicians, Family "[Mesh] OR "Community Health Services" [Mesh] OR "Delivery of Health	
	Care"[Mesh] OR "township hospital"[Title/Abstract] OR "township health center"[Title/Abstract] OR "township health	
	centre"[Title/Abstract] OR "township health centers"[Title/Abstract] OR "township health centres"[Title/Abstract] OR "community	

Search topic	Query	Items found
	health station"[Title/Abstract] OR "village clinic"[Title/Abstract] OR "village clinics"[Title/Abstract] OR "community health	
	center"[Title/Abstract] OR "community health centre"[Title/Abstract] OR "community health centers"[Title/Abstract] OR	
	"community health centres"[Title/Abstract]) AND ("Organization and Administration"[Mesh] OR "Health Policy"[Mesh] OR	
	"Organizational Policy" [Mesh] OR "Referral and Consultation" [Mesh] OR "gatekeeping" [Mesh] OR gatekeeper [Title/Abstract] OR	
	governance[Title/Abstract] OR reform[Title/Abstract] OR referral[Title/Abstrac] OR "integrated health care"[Title/Abstrac] OR	
	"three tier health care system"[Title/Abstrac]) AND ((eng[Language]) OR chi[Language]) NOT "Autobiography"[ptyp] NOT	
	"Bibliography"[ptyp] NOT "Biography"[ptyp] NOT "Consensus Development Conference"[ptyp] NOT "Consensus Development	
	Conference, NIH" [ptyp] NOT "Corrected and Republished Article" [ptyp] NOT "Dataset" [ptyp] NOT "Dictionary" [ptyp] NOT	
	"Directory" [ptyp] NOT "Duplicate Publication" [ptyp] NOT "Electronic Supplementary Materials" [ptyp] NOT "Festschrift" [ptyp]	
	NOT "Interactive Tutorial" [ptyp] NOT "Legal Cases" [ptyp] NOT "Letter" [ptyp] NOT "News" [ptyp] NOT "Patient Education	
	Handout"[ptyp] NOT "Periodical Index"[ptyp] NOT "Personal Narratives"[ptyp] NOT "Portraits"[ptyp] NOT "Published	
	Erratum"[ptyp] NOT "Retracted Publication"[ptyp] NOT "Retraction of Publication"[ptyp] NOT "Twin Study"[ptyp] NOT	
	"Video-Audio Media"[ptyp] NOT "Webcasts"[ptyp]	

Search topic	Query	Items found
Structural	TI='基层卫生'+'基层医疗'+'初级卫生'+'社区医疗'+'社区卫生'+'乡村医疗'+'乡村卫生' AND TI='组织'+'框架'+'结构'+'改革'+'转诊'+'协同'+'配合'+'分工'+'分级诊疗'	Journal articles: 158 Doctoral thesis: 4 Master thesis: 41
Financial	TI='基层卫生'+'基层医疗'+'初级卫生'+'社区医疗'+'社区卫生'+'乡村医疗'+'乡村卫生' AND TI='经费'+'资金'+'财政'+'支出'+'收入'+'收支'+'补偿'+'拨款'+'拨付'+'药品零差'	Journal articles: 87 Doctoral thesis: 4 Master thesis: 19
Insurance	TI='基层卫生'+'基层医疗'+'初级卫生'+'社区医疗'+'社区卫生'+'乡村医疗'+'乡村卫生' AND TI='医保'+'保险'+'自付'+'报销'+'新农合'+'新型农村合作医疗'+'封顶'+'起付'+'拨 款'+'拨付'+'药品零差'+'救助'	Journal articles: 49 Doctoral thesis: 2 Master thesis: 15
Human resources	TI='基层卫生'+'基层医疗'+'初级卫生'+'社区医疗'+'社区卫生'+'乡村医疗'+'乡村卫生' AND TI='人力资源'+'人员流动'+'薪酬'+'激励'+'职业发展'+'职业规划'+'培训'+'技能'+'人 员能力'+'教育'+'轮转' AND HX=Y	Journal articles: 129 Doctoral thesis: 3 Master thesis: 59
Quality	TI='基层卫生'+'基层医疗'+'初级卫生'+'社区医疗'+'社区卫生'+'乡村医疗'+'乡村卫生' AND AB='医疗质量'+'服务质量'+'患者满意'+'用药合理性'+'合理用药'+'医疗安全'+'服务	Journal articles: 190 Doctoral thesis: 33

Table A-2 Chinese literature from Chinese National Knowledge Infrastructure (CNKI)

Search topic	Query	Items found
	效率'+'依从性'+'循证'+'同质'+'医疗可及性'+'服务可及性'	Master thesis: 207
EHR system	TI='基层卫生'+'基层医疗'+'初级卫生'+'社区医疗'+'社区卫生'+'乡村医疗'+'乡村卫生' AND TI='信息系统'+'电子病历'+'信息技术'+'数据'+'健康档案'	Journal articles: 33 Doctoral thesis: 1 Master thesis: 13
Medications	TI='基层卫生'+'基层医疗'+'初级卫生'+'社区医疗'+'社区卫生'+'乡村医疗'+'乡村卫生' AND TI='基本药物'+'基药'+'药品供应'+'药品零差'+'药品加成'+'药品定价'+'药政'+'药品 管理'	Journal articles: 78 Doctoral thesis: 2 Master thesis: 31

2. Study design of a nationwide survey on primary health care in China

The study design has been published previously, with detailed protocol and questionnaires.¹

Setting and sampling

The survey leveraged a nationwide collaborative network of the China Patient Centered Evaluative Assessment of Cardiac Events (PEACE) Millions Persons Project (MPP).² The MPP is a national population-based screening project, based on primary health care system across China to identify subjects with high risk of cardiovascular diseases from population aged from 35 to 75 years. In each of the 31 provinces in mainland China, we involved 3-6 sites (i.e. counties or district), with the total number of 121, according to the urbanization level, economic condition and geographic location. In each site, about 5 towns or sub-districts were chosen according to their population size and stability. In each town or sub-district, we had approached all primary health care institutions involved in the MPP, including community health centres, community health stations, township health centres, and village clinics. 3602 of them participated in the survey. The response rate was 97.4%. The ownership in institutions involved, with the exception of village clinics, is similar with the national overall statistics in the China Health and Family Planning Statistical Yearbook³, which indicated that 93.2% of community health centres, 71.1% of community health stations, 99.5% of township health centres, and 62.8% of village clinics are publicly owned (Table A-3). In the participating primary health care institutions, we had invited all healthcare professionals, including physicians, nurses, public health professionals, village doctors and their assistants. 25,162 of them accepted. The response rate was 95.4%. From the MPP, we consecutively enrolled about 50,000 subjects with written informed consent, as potential primary health care consumers due to their high risk of cardiovascular diseases. The central ethics committee at the China National Center for Cardiovascular Disease approved the MPP and the survey.

Table A-3 Basic characteristics of primary health care institutions in the survey

	Urban		Rural	
	Community health centre	Community health station	Township health centre	Village clinic
Ν	210	457	293	2642
Economic-geographic				
region, n (%)				
Eastern	80 (38.1)	224 (49.0)	82 (28.0)	711 (26.9)
Central	57 (27.1)	68 (14.9)	90 (30.7)	991 (37.5)
Western	73 (34.8)	165 (36-1)	121 (41.3)	940 (35.6)
Publicly owned, n (%)	201 (95.7)	331 (72.4)	293 (100)	2291 (86.7)
Run by, n (%)				
Government	125 (59.5)	85 (18.6)	174 (59.4)	541 (20.5)
Public hospital	51 (24.3)	91 (19.9)	29 (9.9)	185 (7.0)
Private hospital	2 (1.0)	6 (1·3)	0 (0.0)	6 (0.2)
Collective	25 (11.9)	155 (33.9)	90 (30.7)	1570 (59.4)
Self-owned	7 (3.3)	120 (26.3)	0 (0.0)	340 (12.9)
Primary health care				
professionals				
Doctors	2837 (36.4)	876 (44.0)	3528 (42.6)	3385 (47.8) *
Other health care				
professionals	4957 (63.6)	1116 (56.0)	4759 (57.4)	3704 (52·2)
Employment status				
Permanent staff	4836 (63.8)	658 (42.9)	5718 (71.5)	-
Contract staff	2748 (36.2)	877 (57.1)	2276 (28.5)	-

* Including village doctors

Data collection

The data collection in questionnaires was designed according to a framework developed for assessing primary health care system in 31 European countries.⁴ By modifying

Donbedian's model, this assessment framework includes 3 dimensions (structure, process and outcome), and one level below them, 13 domains (governance, financing, workforce, facility infrastructure, health information system, drug supply, access, comprehensiveness, continuity, coordination, quality, equity, and efficiency) (Figure A-1).




Figure A-1 Structure of the framework for assessing primary health care system

Questionnaires for institutional leaders, healthcare professionals, and consumers were developed to collect comprehensive information at different levels (Table A-5).

 Table A-5
 Main aspects of the assessment framework covered by the survey

	•
ALIOCTIO	nnaires
questio	manco

D:	D	T	D for ant are a l	C
Dimension	Domain	Institution	Professional	Consumer

		Questionnaire	Questionnaire	Questionnaire
	Governance	✓	✓	
	Financing	\checkmark		
~	Workforce	\checkmark	\checkmark	
Structure	Facility infrastructure	\checkmark		
	Health information system	\checkmark		
	Drug supply	\checkmark	\checkmark	
	Access	\checkmark	\checkmark	\checkmark
	Comprehensiveness	\checkmark		
Process	Continuity	\checkmark	\checkmark	\checkmark
	Coordination	\checkmark	\checkmark	\checkmark
	Quality		✓	
Outcome	Equity		\checkmark	
	Efficiency		✓	\checkmark

Data collection in this survey was strengthened by a design based on original document acquisition and review. In each participating primary health care institution, 10 kinds of original documents were copied and reviewed (Table A-6).

Document	Main data elements covered
Outpatient prescriptions (1-year records)	Date, age, gender, diagnosis, medications, amount, total charge
Employee Roster (3-year records)	Age, gender, ethnicity, first high education degree, highest education degree, seniority, qualification, license, government quota post, year of working, department

 Table A-6
 Data elements in the 10 kinds of documents

Document	Main data elements covered
Annual financial statement (3-year records)	Funding/income (funding/income sources and amount of funding/income), expenditure (expense flow and amount of expense)
Clinical equipment list	Type of equipment (physical measurement, laboratory, imaging and clinical treatment), name, manufacturer, model, amount of the equipment, unit price, year of start use
Health insurance policy document	Funding sources (government, patients and employers), deducible, reimbursement ration, ceiling, co-payment, reimbursement for hypertension patient, reimbursement for diabetes patients
Medication lists	Type of drug list (i.e. national essential medicine list (EML), provincial EMLs, insurance reimbursement medicine list), name of drug, dosage, package size, manufacturer, price
Health information systems	Type of system, name, software developers, maximum coverage, year of installation, purchase price, annual maintenance fee
Basic clinical services item list	Name of service, description, price of service, unit of service
Assessment indicators for basic public health service program	Assessment indicators and predefined targets for each basic public health service
Annual report for basic public health service program	Assessment indicators and values for each basic public health service

All study instruments and documents are deposited in the Document Bank as an open-access source for other researchers.

Quality assurance

We have applied a set of policies and procedures to ensure data quality.

- <u>Questionnaire piloting</u>: After the questionnaires were developed, we piloted them in about 90 PHC institutions. The questions were revised and updated based on the feedback of the local PHC health professionals and senior managers. The final version of the questionnaire is considered reasonable and well understood by the participating PHC institutions.
- 2) Software design: The e-questionnaire module in the offline electronic data collection system was designed with capabilities for quality control. Firstly, instructions and explanations for questions were listed within questionnaires alongside each question. Secondly, logical data checks were embedded to verify that the questions were answered completely and that the values entered meet the predefined range and formats. The system displayed a warning message for users to correct or re-enter data if answers violated the pre-defined rules. Thirdly, a standardized coding system was adopted using organization ID, file type, year/month, and file sequence number as a combination for naming all data files. Lastly, we will ensure data security during the transfer of data by using encrypted data transmissions from local study sites to China's National Center for Cardiovascular Diseases (NCCD).
- 3) <u>Training</u>: Before data collection started, all regional coordinating centre staff and key personnel of PHC institutions underwent training in a 2-day conference. The training was organized by the NCCD and delivered by specialised trainers. The training programme covered the sections of introduction, questionnaire, original documents collection and processing, scanning and practice sessions. Meanwhile, the NCCD provided the fieldwork staff a package of training materials, including standard operating protocols, training videos, and slides of the presentations given during the training conference. In addition, the NCCD sent trainers to PHC institutions and delivered on-site training. The NCCD also provided remote training as an alternative training method. Telephone and web-based hotlines were available for any queries during the data collection through the NCCD. We also provided additional training material for people who participate in the anonymous questionnaires (general staff and village doctors) to ensure data quality.

- 4) <u>Central monitoring</u>: We conducted central monitoring to review collected data and documents that are stored in the document bank in the NCCD. Data were uploaded daily and were inspected manually for completeness and clarity of documents by five full-time data quality specialists.
- 5) <u>On-side monitoring visits</u>: The goal of an on-site visit was to monitor staff compliance with the operations manual. Experienced NCCD staff directly visited about 2000 PHC institutions, scattered in all the 31 provinces, to install and maintain software applications, conduct in-person questionnaire interviews, collect documents, and check the completeness and quality of documents.
- Real-time data monitoring: We developed a SAS QA/QC package to conduct real-time 6) data checks on both questionnaire and structured document data. Specifically, the package ran at midnight every day and identifies records with data errors or potential data errors. These records were reviewed by data specialists made make necessary corrections. The SAS package focuses on the following aspects at each PHC institution: a) progress status tracking: for example, this was done by comparing numbers of provider questionnaires finished with the total number of employees confirmed by the PHC institution to identify any potential issues with the operation of the survey; b) missing data tracking: the number of questions missed in a questionnaire was used to assess the completeness of questionnaires; the number of documents missing were used to identify operational weaknesses; c) data validation: predefined logic verification standard was applied for data quality checks, for example, the number of outliers for each continuous variable or illogic association between variables were used to identify the process failure of data collection and help to identify staff requiring additional training if appropriated. Once data issues had been identified, through either manual checks or the real-time SAS QA/QC package, the NCCD staff contacted the local coordinating centres to clarify or correct these issues. Any major issues identified during the data review were followed up by an on-site monitoring visit by the NCCD's project team. In addition, the NCCD and regional coordinating teams conducted regular on-site visits in the participating PHC institutions.

18/32

Data analysis

We focused on measures in 5 domains of the primary health care system, including workforce, information technology, financing, insurance, and quality of care (Table A-7). Analyses were based mainly on data abstracted from prescriptions, employee rosters, lists of medications in stock, official health insurance policy documents, and questionnaire interviews. In the workforce domain, the analysis focused on primary health care doctors. Given varied training and credentials for doctors in primary health care settings, we have included 7241 licensed (assistant) doctors or unlicensed practicing individuals in community health centres, community health stations or township health centres, 3385 licensed (assistant) doctors or certificated village doctors in village clinics We used the Maslach Burnout Inventory for Human Services Survey (MBI-HSS) to assess the burnout status of healthcare professionals.⁵ Regional disparities in healthcare resources and economic development necessitated our stratified analysis based on three official economic-geographic regions of China, including Eastern (13 provinces), Central (6 provinces), and Western (12 provinces).³

Domain	Measure	Definitions
Workforce	Population density	• Number of healthcare professionals per 1000 residents
	Aging	 Median age of PHC doctors or village doctors Proportion of PHC doctors or village doctors under the retirement age (60 for male, 55 for female)
	Practicing licensure	• Proportion of PHC doctors who are licensed
	Medical training	• Proportion of PHC doctors who have a junior medical college training or above
		• Proportion of village doctors who have a technical school training or above

 Table A-7
 Measures in national survey on the primary health care system

Domain	Measure	Definitions		
	Continuing education	• Proportion of PHC doctors who have taken continuing education courses in the past year		
	Occupational Burnout	Measured using the Maslach Burnout Inventory for Human Services Survey ⁵		
		• Proportion of doctors or village doctors with high exhaustion		
		• Proportion of doctors or village doctors with high depersonalization		
		• Proportion of doctors or village doctors with high lack of professional accomplishment		
	Social benefits for professionals	• Proportion of institutions providing no social benefits for professionals		
		• Proportion of institutions providing 5 social benefits for professionals		
	Annual income of professionals	Median annual income of PHC doctors or village doctors with junior professional title		
	Turnover intention	• Proportion of village doctors with turnover intention		
Information technology	Accessibility of IT system	 Proportion of institutions with EMR systems Proportion of institutions with Resident Health Records System 		
	Integration of IT system	 Number of different vendors; Proportion of institutions able to refer patients to tertiary hospitals through the IT systems 		
	Use of IT system	Proportion of healthcare professionals routinely using the IT systems		
Financing	Indicators influencing the income of professionals	 Proportion of bonus in the income Proportion of institutions using specific bonus indicators, such as number of outpatient visits 		
Insurance	Annual reimbursement cap	• Upper limit that the insurance can pay for each person annually		
	Reimbursement deductible	• Amount that must be paid out-of-pocket for covered health care services before the insurer starts to pay any expenses.		

Domain	Measure	Definitions
	Reimbursement rate	• Proportion of medical expenses that the insurance covered, within the cap
Quality of care	Inappropriate drug use	 Proportions of prescriptions with antibiotics Proportions of prescriptions with multiple antibiotics Proportions of prescriptions with injections
	Management of cardiovascular disease risk	 Proportion of patients with hypertension diagnosed Proportion of hypertensive patients with blood pressure <140/90 mm Hg Proportion of patients with diabetes being diagnosed Proportion of patients with diabetes who have blood glucose <7 mmol/L

PHC indicates primary health care; IT information technology; EMR electronic medical record

Year	2009	2010	2011	2012	2013	2014	2015	2016	2017
Funding, RMB per capita	15	15	25	25	30	35	40	45	50
Residents' health records									
Health education					\checkmark				
Child health management		\checkmark							
Maternal health care					\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Elderly health	1	1	1	1	1	1	1	1	1
management	\checkmark	\checkmark	\checkmark	\checkmark			\checkmark		V
Vaccination		\checkmark							
Reporting of infectious									
diseases and public health		\checkmark							
emergencies									
Health management for									
hypertension	\checkmark	N	N N	V	N	N	N	N	N
Health management for									
type-2 diabetes	N	N	N	N	v	v	N	N	N
Health management for									
psychosis	N	v	v	v	v	v	v	v	v
Health supervision	-	_	\checkmark						
Traditional Chinese									
medicine health	-	-	-	-	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
management									
Health management for	_					_			
tuberculosis		-	_	_	-		N	N	v
Contraceptive device	_	_	_	_	_	_	_	_	\checkmark
Health promotion	-	_	_	_	_	_	_	_	\checkmark

3. Evolving of the national basic public health service program

4.	The scope of the clinical	care provided in	primary health	care institutions in China
----	---------------------------	------------------	----------------	----------------------------

Clinical conditions	Community health center	Community health station	Township health center	Village clinics			
Cold	14.5%	19.1%	13.6%	19.5%			
Hypertension	.11.0%	11.5%	7.9%	9.8%			
Diabetes mellitus	9.6%	9.0%	4.6%	4.6%			
Chronic bronchitis		8.6%	8.5%	10.5%			
Acute bronchitis	8.1%	8.6%	9.0%	10.7%			
Gastritis	6.5%	8.4%	7.5%	10.3%			
Diarrhea	4.5%	6.7%	5.3%	11.7%			
Urinary tract infection	4.1%	3.1%	4.5%	2.9%			
Osteoarthritis	3.0%	2.3%	2.4%	0.5%			
Low back pain	2.8%	1.5%	2.5%	0.8%			
Psoatic strain	2.7%	2.3%	2.6%	0.8%			
Peptic ulcer	2.1%	2.0%	2.9%	1.7%			
General trauma	2.0%	1.3%	3.1%	1.1%			
Sciatica	2.0%	0.6%	1.8%	0.3%			
Child dyspepsia	2.0%	4.4%	3.2%	7.0%			
Pelvic inflammatory disease	1.9%	0.4%	2.7%	0.6%			
Vaginitis	1.8%	0.4%	2.7%	0.5%			
Dysmenorrhoea	1.7%	1.2%	2.3%	0.5%			
Cholecystitis	1.6%	1.4%	2.6%	1.6%			
Toothache	1.5%	3.6%	1.3%	2.7%			
Menopausal syndrome	1.4%	0.2%	1.4%	0.1%			
Cholelithiasis	1.0%	0.5%	1.6%	0.4%			
Idiopathic headache	0.8%	0.6%	0.6%	0.2%			
Haemorrhoids	0.7%	0.5%	1.1%	0.4%			
Asthma	0.6%	0.1%	0.6%	0.2%			
Chronic dermatitis	0.5%	0.3%	0.2%	0.1%			
Tympanitis	0.5%	0.4%	0.7%	0.2%			
Conjunctivitis	0.5%	0.3%	0.6%	0.1%			
Purulent skin infection	0.4%	0.1%	0.5%	0.0%			
Sinusitis	0.4%	0.5%	0.6%	0.3%			
Convulsion in children	0.3%	0.0%	0.3%	0.0%			
0% Top five clinical conditions							

To understand the scope of the clinical care provided in primary health care institutions in China, we asked the 10,626 primary health care doctors involved in our survey to identify the top five clinical conditions that they encounter in regular practice. In community health centres and community health stations, the most commonly identified conditions were common cold (14.5% and 19.1%, respectively), followed by hypertension (11.0% and 11.5%), diabetes (9.6% and 9.0%), chronic bronchitis (8.7% and 8.6%), and acute bronchitis (8.1% and 8.6%). Doctors at township health centres and village clinics identified common cold (13.6% and 19.5%, respectively), acute bronchitis (9.0% and 10.7%), and chronic bronchitis (8.5% and 10.5); however, they more often identified gastritis (7.5% and 10.3%) and diarrhea (5.3% and 11.7%) than hypertension (7.9% and 9.8%) and diabetes (4.6% and 4.6%).

Basic public health service item	Community	Community	Township	Village
	health centre	health station	health centre	clinic
Residents' health records	93.4	68.2	91.8	84.9
Vaccination	88.7	33.3	87.8	57.3
Maternal health management	83.6	35.6	83.7	68.5
Chronic diseases management	92.5	70.4	88.8	89.0
Health management for tuberculosis	83.6	36.2	76.9	73.3
Reporting of infectious diseases and public	86.4	41.3	83.3	73.0
health emergencies				
Health education	93.0	63.8	89.5	80.9
Child health management	88.7	42.0	85.4	76.4
Elderly health management	94.8	68.0	85.4	86.9
Health management for psychosis	84.0	43.8	84.0	78.4
Traditional Chinese medicine health	83.6	46.0	68.7	66.5
management				
Health supervision	77.5	34.4	78.6	58.6

5. Proportions of primary health care institutions providing each basic public health service

Study	Design	Study period	Regions	Types of institutions	No. of sites	No. of prescriptions	Indicators	Major findings
Dong. et al. 2011	Observational	2005	10 provinces in the	Village clinics	680	20,125	Proportion of antibiotic prescriptions	48.43%
6			Western regions				Average number of drugs per prescription	2.36
							Proportion of injected drug	22.93%
Liu. et al. 2009	Observational	2007	26 provinces in the	Community health centres	744	74,400	Average number of drugs per prescription	2.51
7			Eastern,	and community			Proportion of antibiotic	43.58% (12.30% two
			Central and	health stations			prescriptions	or more antibiotics)
			Western regions				Proportion of injected drug	35.11%
Li. 2015	Observational	2009-20	1 province in	Community	1207	Unspecified	Proportion of injected drug	54.53%to 13.66%
8		13	the Eastern regions	health centres and community health stations			Proportion of two or more antibiotics	27.23% to 5.64%
Ding.	Observational	2009	1 province in	Community	12	1,106	Proportion of injected drug	28.5%
2010 ⁹			the Eastern regions	health centres			Proportion of antibiotic prescriptions	43.3% (18.4% two or more antibiotics)
Ying. et al. 2010	Observational	2007-20 08	1 province in the Eastern	Community health centres,	97	7,737	Proportion of two or more antibiotics	17% to 26%

6. Studies on appropriateness of prescriptions in primary health care institutions in China (Jan 2009 through Jul 2016)

Study	Design	Study period	Regions	Types of institutions	No. of sites	No. of prescriptions	Indicators	Major findings
10			regions	community health stations, township health centres, village clinics			Proportion of injected drug	35% to 51%
Zhao. et al. 2012	Observational	2009-20 11	1 province in the Central	Primary health care centres	5	1,454	Proportion of injected drug	42.07% (pre-EDL) vs. 43.63% (post-EDL)
11			regions				Proportion of antibiotic prescriptions	54.55% (pre-EDL) vs. 65.65% (post-EDL) (12.47% vs. 22.43% two or more antibiotics)
							Average number of drugs per prescription	2.78 (pre-EDL) vs. 3.30% (post-EDL)
Jia. et al. 2015 ¹²	Observational	2013	1 province in the Eastern regions	Community health centres	13	380	Average number of drugs per prescription Proportion of antibiotic prescriptions	2.95 (pre-EDL) vs. 2.51 (post-EDL) 28.9% (pre-EDL) vs. 41.0% (post-EDL)
							Proportion of injected drug	30.0% (pre-EDL) vs. 43.0% (post-EDL)
Qi. et al. 2012 ¹³	Observational	2007	1 province in the Eastern regions	Township health centres	5	11,177	Proportion of injected drug Average number of drugs per prescription	61·5% 4·1

Study	Design	Study period	Regions	Types of institutions	No. of sites	No. of prescriptions	Indicators	Major findings
							Proportion of antibiotic prescriptions	35.1%
Song. et al.	Observational	2010-20 11	4 provinces in the Eastern	Township health centres	146	28,651	Average number of drugs per prescription	3.64 to 3.46
2014 ¹⁴			and Central regions				Proportion of antibiotic prescriptions	60·26% to 58·48%
							Proportion of injected drug	40.31%
Wang. et al. 2014	Observational	2009-20 11	6 provinces in the Eastern or	Urban and rural primary health	39	7,311	Average number of drugs per prescription	2.7
15			Central	care centres			Proportion of injected drug	64.30%
			regions				Proportion of antibiotic prescriptions	52.90%
Xiao. et al.	Observational	2007	2 provinces in the Eastern	Community health centres	20	22,356	Average number of drugs per prescription	3.1
2011 ¹⁶			and Western regions	and township health centres			Proportion of two or more antibiotics	24.90%
Liu. et	Interventional	2013	1 province in	Primary care	10	336,655	Proportion of antibiotic	65% to 60% (22% to
al. 2015 17			the Central regions	institutions			prescriptions	20% two or more antibiotics)
							Proportion of injected drug	60% to 55%
Yao. et al. 2015	Observational	2009-20 10	1 province in the Central	Community health centres	192	23,040	Average number of drugs per prescription	3.5 (pre-EDL) vs. 4.2 (post-EDL)

Study	Design	Study period	Regions	Types of institutions	No. of sites	No. of prescriptions	Indicators	Major findings
18			regions	and township health centres			Proportion of antibiotic prescriptions	62% (pre-EDL) vs. 67% (post-EDL)
							Proportion of injected drug	45% (pre-EDL) vs. 52% (post-EDL)
Gong. et al. 2016	Observational	2007-20 11	35 cities in the Eastern,	Community health centres	802	376,700	Average number of drugs per prescription	2·3 (EDL) vs. 2·5 (non-EDL)
19			Central and Western regions	and community health stations			Proportion of antibiotic prescriptions	38% (EDL) vs. 48% (non-EDL) (8% vs. 12% two or more antibiotics)
							Proportion of injected drug	31% (EDL) vs. 40% (non-EDL)
Yang. et al. 2013	Observational	2009-20 11	1 province in the Central	Community health centres	18	55,800	Average number of drugs per prescription	3.4 to 4.7, vs. 4.1 in cohort 1-3
20			regions	and township health centres			Proportion of antibiotic prescriptions	53% to 75%
							Proportion of injected drug	59% to 67%, vs. 67%, 66% and 59% in cohort 1-3
Yin. et al. 2015	Observational	2011	35 cities in the Eastern, Central and	Community health centres	422	42,200	Average number of drugs per prescription Proportion of antibiotic	2.24 (public) vs. 2.38 (private) 30.1% (public) vs.
			Western				prescriptions	$37 \cdot 2$ (private)

Study	Design	Study period	Regions	Types of institutions	No. of sites	No. of prescriptions	Indicators	Major findings
			regions				Proportion of injected drug	30.5% (public) vs. 36.4 (private)
Yip. et al. 2014 22	Interventional	2009-20 12	1 province in the Western regions	Township health centres and village clinics	294	1,155,134	Proportion of antibiotic prescriptions	 44·2% (control group) vs. 37·6% (intervention group) in township health centres; 34·2% (control group) vs. 28·2% (intervention group) in village clinics
Xiao. et al. 2016 23	Observational	2009-20 12	2 provinces in the Central regions	Township health centres	24	7311	Proportion of antibiotic prescriptions	52.50% to 53.41%
Jiang. et al. 2012 24	Observational	2007	1 province in the Western regions	Township health centres	30	3,059	Proportion of antibiotic prescriptions	85.18% (24.98% two or more antibiotics)
Zhang. et al.	Observational	2013	1 province in the Central	Township health centres	20	Unspecified	Proportion of antibiotic prescriptions	62%
2014 25			regions				Proportion of injected drug	65%

References

1. Su M, Zhang Q, Lu J, et al. Protocol for a Nationwide Survey of China's Primary Health Care: The China PEACE MPP Primary Health Care Survey. *BMJ open* 2017; **7**: e016195.

2. Lu J, Si X, Downing NS, et al. Protocol for the China PEACE (Patient-centered Evaluative Assessment of Cardiac Events) Million Persons Project pilot. *BMJ Open* 2016; **6**(1).

3. National Commission for Health and Family Planning of the People's Republic of China. China health and family planning statistical yearbook 2016. Beijing: Peking union medical college publishing house; 2017.

4. Kringos DS, Boerma WG, Bourgueil Y, et al. The european primary care monitor: structure, process and outcome indicators. *BMC family practice* 2010; **11**(1): 81.

5. Maslach C, Jackson SE, Leiter MP. The Maslach Burnout Inventory Manual; 1997.

6. Dong L, Yan H, Wang D. Drug prescribing indicators in village health clinics across 10 provinces of Western China. *Family practice* 2011; **28**(1): 63-7.

7. Liu L, Lu Z, Zhang X. Analysis of Rational use of Drugs in Community Health Service Facilities. *Chinese Health Economics (Chin)* 2009; (04): 45-7.

8. Li Y. Evaluation on the Implementation of Zero-profit Essential Medicines in Health Care Institutions of L Province [Master]: Dalian Medical University; 2015.

9. Ding J. Analysis on Rational Use of Drugs in 12 Community Medical Institutions of Shaoxing. *China Pharmacy (Chin)* 2010; (20): 1913-4.

10. Ying G, Lv Y, Gan H, et al. Survey on the Drug Use in Outpatient Prescriptions from Primary Health Care Institutions in Sichuan Province. *Chinese Health Service Management (Chin)* 2010; (10): 665-7.

11. Zhao W, Wu N, Zhao X. Influence of Essential Drug System to Rational Drug Use in 5 Primary Health Care Institutions of Jiangxi Province. *Chinese Health Economics (Chin)* 2012; (12): 60-1.

12. Jia H, Yin W, Zhu L, et al. Studying on The Rational Drug Use of Outpatient Prescription in Community Health Service Centers of Shandong Province in the Essential Pharmaceuticals System. *Chinese Health Service Management (Chin)* 2015; (07): 525-7.

13. Qi J. Research of drug use behavior adopted by rural area Elementary institutions of medical & health and residents In Yunnan province [Master]: Chinese Academy of Agricultural Scienses; 2012.

14. Song Y, Bian Y, Petzold M, Li L, Yin A. The impact of China's national essential medicine system on improving rational drug use in primary health care facilities: an empirical study in four provinces. *BMC health services research* 2014; **14**: 507.

15. Wang J, Wang P, Wang X, Zheng Y, Xiao Y. Use and prescription of antibiotics in primary health care settings in China. *JAMA internal medicine* 2014; **174**(12): 1914-20.

16. Xiao A, Jing C, Fu W, et al. Investigation and Analysis of Drug Use in the Primary Health Institutions of Yunnan and Liaoning Province. *China Pharmacy (Chin)* 2011; (36): 3449-52.

17. Liu C, Zhang X, Wan J. Public reporting influences antibiotic and injection prescription in primary care: a segmented regression analysis. *Journal of evaluation in clinical practice* 2015; **21**(4): 597-603.

18. Yao Q, Liu C, Ferrier JA, Liu Z, Sun J. Urban-rural inequality regarding drug prescriptions in primary care facilities - a pre-post comparison of the National Essential Medicines Scheme of China. *International journal for equity in health* 2015; **14**(1): 58.

19. Gong Y, Chen Y, Yin X, et al. The effect of essential medicines programme on rational use of

medicines in China. *Health Policy & Planning* 2016; **31**(1): 21.

20. Yang L, Liu C, Ferrier JA, Zhou W, Zhang X. The impact of the National Essential Medicines Policy on prescribing behaviours in primary care facilities in Hubei province of China. *Health Policy & Planning* 2013; **28**(7): 750-60.

21. Yin X, Gong Y, Yang C, et al. A Comparison of Quality of Community Health Services Between Public and Private Community Health Centers in Urban China. *Medical care* 2015; **53**(10): 888.

22. Yip W, Powelljackson T, Chen W, et al. Capitation combined with pay-for-performance improves antibiotic prescribing practices in rural China. *Health Affairs* 2014; **33**(3): 502.

23. Xiao Y, Wang J, Shen P, Zheng B, Zheng Y, Li L. Retrospective survey of the efficacy of mandatory implementation of the Essential Medicine Policy in the primary healthcare setting in China: failure to promote the rational use of antibiotics in clinics. *International journal of antimicrobial agents* 2016; **48**(4): 409-14.

24. Jiang Q, Yu BN, Ying G, et al. Outpatient prescription practices in rural township health centers in Sichuan Province, China. *BMC health services research* 2012; **12**(1): 324.

25. Zhang X, Wang L, Zhang X. Application of propensity scores to explore the effect of public reporting of medicine use information on rational drug use in China: a quasi-experimental design. *BMC health services research* 2014; **14**: 492.