A comparison of carbon dioxide (CO₂) emission trends among provinces in China

Du, Kerui; Xie, Chunping; Ouyang, Xiaoling

DOI:

[10.1016/j.rser.2017.01.102](https://doi.org/10.1016/j.rser.2017.01.102)

License:

Creative Commons: Attribution-NonCommercial-NoDerivs (CC BY-NC-ND)

Document Version

Peer reviewed version

Citation for published version (Harvard):

Du, K, Xie, C & Ouyang, X 2017, 'A comparison of carbon dioxide (CO₂) emission trends among provinces in China', *Renewable and Sustainable Energy Reviews*, vol. 73, pp. 19-25.
<https://doi.org/10.1016/j.rser.2017.01.102>

[Link to publication on Research at Birmingham portal](#)

Publisher Rights Statement:

Checked for eligibility 23/10/2018

<https://doi.org/10.1016/j.rser.2017.01.102>

General rights

Unless a licence is specified above, all rights (including copyright and moral rights) in this document are retained by the authors and/or the copyright holders. The express permission of the copyright holder must be obtained for any use of this material other than for purposes permitted by law.

- Users may freely distribute the URL that is used to identify this publication.
- Users may download and/or print one copy of the publication from the University of Birmingham research portal for the purpose of private study or non-commercial research.
- User may use extracts from the document in line with the concept of 'fair dealing' under the Copyright, Designs and Patents Act 1988 (?)
- Users may not further distribute the material nor use it for the purposes of commercial gain.

Where a licence is displayed above, please note the terms and conditions of the licence govern your use of this document.

When citing, please reference the published version.

Take down policy

While the University of Birmingham exercises care and attention in making items available there are rare occasions when an item has been uploaded in error or has been deemed to be commercially or otherwise sensitive.

If you believe that this is the case for this document, please contact UBIRA@lists.bham.ac.uk providing details and we will remove access to the work immediately and investigate.

A comparison of carbon dioxide (CO₂) emission trends among provinces in China

Kerui Du^a, Chunping Xie^{b*}, Xiaoling Ouyang^{c**}

^a *Center for Economic Research, Shandong University, Jinan 250100, China.*

^b *Birmingham Centre for Energy Storage, School of Chemical Engineering,
University of Birmingham, Edgbaston, Birmingham B15 2TT, UK.*

^c *Department of Economics, School of Economics, Faculty of Economics and
Management, East China Normal University, Shanghai 200062, China.*

* Corresponding author at: *Birmingham Centre for Energy Storage, School of
Chemical Engineering, University of Birmingham, Edgbaston, Birmingham B15 2TT,
UK.*

E-mail address: susulovedog@hotmail.com

** Corresponding author at: *Department of economics, School of economics, Faculty
of economics and management, East China Normal University, Shanghai 200062,
China. E-mail address: xlouyang@jjx.ecnu.edu.cn*

Abstract

As the world leader in CO₂ emissions, China is a key focus for climate change mitigation. In this paper, we conducted a cross-province comparison of CO₂ emission trends in China from 2006 to 2012. We determined effects of CO₂ emission factor (EMF), energy mix change (EMX), potential energy intensity change (PEI), industrial structure (STR), economic activity (EAT), technological change (BPC) and energy efficiency change (EC) as underlying forces of CO₂ emission changes with production-based decomposition. Compared to other production-theory decomposition analyses (PDA), the method used in this paper can overcome the weakness of PDA on the measurement of structural changes and energy mix effect. The results provided strong evidence that EAT is the main driver behind rising emissions, while changes in PEI, EMX and EC have led to CO₂ emission reductions in most provinces/municipalities in China. In particular, we introduced the global benchmark technology to establish the relationship between CO₂ emissions and energy use technology. The potential CO₂ reductions in China were further measured under the scenarios of contemporaneous technology and global technology. The principal empirical implication is that the promotion of energy conservation technology and reductions in inter-regional technological disparity would be effective in reducing CO₂ emissions in technically inefficient regions.

Keywords: Decomposition; Shephard distance function; Production-theory decomposition analysis; Data envelopment analysis.

Highlights

- A combination of IDA and PDA is developed to investigate CO₂ emissions in China.
- Economic activity is the main driver behind China's rising CO₂ emissions.
- The less developed regions show large potential reduction of CO₂ emissions.

1. Introduction

As the world leader in CO₂ emissions from fossil fuel combustion, China has attracted worldwide attention with its accelerating CO₂ emissions over the past three decades. Considering its critical role in global CO₂ emissions, China becomes a key focus for effects in emission mitigations. In this context, a lot of efforts have been made to identify and quantify the underlying driving forces that affect CO₂ emission changes in China. In literature, factors that influence changes of China's CO₂ emissions have been widely discussed in previous studies ([1]; [2]; [3]; [4]; [5]). However, CO₂ emission trends among different provinces in China have been less systematically investigated ([6]).

It should be noted that significant diversity exists among eastern, central and western areas in China ([7]). For example, indicators such as per capita GDP, carbon emission intensity and energy efficiency differ greatly across regions in China ([8]), and the differences are most prominent between the developed regions in eastern area and the less developed regions in western area of China. In order to control greenhouse gas emissions, the Chinese government established a set of carbon emission reduction targets for different regions in the 11th and 12th Five-Year Plans (FYP) for national economic and social development. However, how to reasonably allocate regional CO₂ reduction targets based on the actual situations and reduction potential of various regions is still worthy of discussion ([9]). Therefore, understanding the key drivers behind China's growing CO₂ emissions and developing regional emission reduction policies in China have theoretical and practical values for

23 decision makers.

24 CO₂ emissions in China have attracted increasing attentions in light of China's
25 decisive role in the global carbon emission mitigation. Technically, CO₂ emission
26 changes can be analyzed by attributing the changes in CO₂ emissions into several
27 pre-defined factors by adopting decomposition analysis ([10]). In literature, the
28 structural decomposition analysis (SDA) and the index decomposition analysis (IDA)
29 are the most commonly used decomposition techniques ([11]; [12]; [13]; [14]; [15];
30 [16]; [17]; [18]; [19]; [20])¹. In terms of data and methodologies, the SDA uses the
31 input–output framework and data, while the IDA uses only sector level data to
32 decompose changes in indicators. Therefore, compared to SDA, the method of IDA is
33 more flexible, easy to use, and has relatively lower data requirements for empirical
34 models. As a result, IDA has been widely used to decompose CO₂ emissions in
35 different countries and various time periods ([21]; [22]; [23]; [24]; [25]). Under the
36 framework of IDA, factors such as the carbon intensity of energy use, energy
37 intensity, structural change and economic activity were identified as the major factors
38 affecting CO₂ emissions, and the decline in energy intensity was identified as the
39 driving force for the considerable decrease in China's CO₂ emissions ([26]; [27];
40 [28]). However, IDA could not provide a quantitative analysis for the impacts of
41 technological change effect, substitutions between energy and other inputs (i.e.,
42 capital and labor), and the effect of technical efficiency change on sectoral intensity
43 change, because it simply regards the energy/emission intensity change as the effect

¹ A useful summary of the various methods of IDA can be found in Ang and Zhang (2000). In addition, Ang et al. (2010) also provides a systematic review on the existing IDA-based energy efficiency accounting systems. Additionally, Hoekstra and Van den Bergh (2003) provided a comparison between SDA and IDA.

of production technology ([29]; [30]). Therefore, the method of IDA is difficult to provide reasonable explanations on the mechanism of sectoral energy/emission intensity changes based on economic theories ([31]; [32]).

More recently, in order to analyze the impact of production technology, decomposition analysis was improved and conducted within the production theory framework. [33] proposed production-theoretical decomposition analysis (PDA) based on Shephard output distance functions, which can be computed using data envelopment analysis (DEA) techniques. Empirical analyses of CO₂ emission changes based on the method of PDA include [34]; [35]; [36]; [37]; [38], etc. The proposed methodologies can assess the effects of “technological change” and “technical efficiency change”. The former measures the effect of best practice technology, and the latter measures the effect of changes in production efficiency. PDA provides detailed information about the influence of production technologies, which could be used to evaluate the degree of “energy efficiency paradox” ([36]). However, its measurement on energy mix effect and the industrial structure effect, which are regarded as important factors of emission change, is possibly inconsistent with reality. For example, when industrial structure transforms from energy intensive industries to less energy intensive industries, it is expected that the industrial structure change would reduce an economy’s overall energy intensity. However, results from PDA indicates that such an industrial structure transformation has a negative effect on energy intensity reduction ([39]). PDA has a similar problem for the measurement of energy mix effect. When energy consumption structure has been improved, it is

66 expected that such improvement would promote energy intensity reduction or at least
67 would not have a negative impact on energy intensity reduction. However, results from
68 PDA demonstrate the inconsistency.

69 The main reason for the above problems of PDA is that the structural components
70 in output distance function are symmetrical. In other words, different properties of
71 industries and energies cannot be reflected in the PDA model. Specifically, the lower
72 energy consumption feature of the tertiary industry sector compared to the second
73 industry sector is not reflected in the distance function. Therefore, the PDA model
74 cannot provide information on the real effect of industrial structure transformation. In
75 the PDA model, the output proportions of three sectors (primary, secondary, and
76 tertiary) are all included in the output distance functions. The industrial structure was
77 assumed to change as follows: the share of primary industry remained constant, the
78 share of secondary industry declined, while the share of tertiary increased
79 correspondingly. On one hand, the declined proportion of secondary industry in
80 output would make the value of output distance function smaller; on the other hand,
81 the increased proportion of tertiary industry in output would make the value of output
82 distance function bigger. If the effect of the latter were bigger than the former, the
83 industrial structure transformation would have a negative impact on energy intensity
84 reduction, which is contrary to fact.

85 Based on the above analysis, we combined the advantages of IDA and PDA to
86 examine the influencing factors of China's CO₂ emission changes and compare CO₂
87 emissions among provinces in China. Specifically, we establish the decomposition

model based on the Shephard energy distance function to disaggregate the provincial level changes of CO₂ emissions in China during 2006-2012, and then introduce the global benchmark technology to establish the relationship between CO₂ emissions and energy use technologies. The central idea of the combination is introducing Shephard energy distance functions which captures the impacts from production technology in the expression of the aggregate CO₂ emissions, and then conducting IDA (e.g., LMDI) for this equation to identify the influencing factors driving change in the aggregate CO₂ emissions. In this sense, PDA and IDA are embodied together to provide the mechanism of CO₂ emission change. **The contributions of this paper lie in the following aspects:** First, the decomposition method used in this paper can overcome the weakness of PDA on the measurement of structural changes, and thus can produce more reasonable results; Second, the proposed approach has been applied in the field of investigating CO₂ emission trends among provinces in China; Third, from the methodological perspective, this paper specifies a different production technology setting which could be extended to other application areas.

The remainder of this article is organized as follows: [Section 2](#) describes methodology and data; [Section 3](#) presents and discusses the empirical results; [Section 4](#) is conclusions and implications.

2. Methodology and Data

2.1 The decomposition model

The CO₂ emissions of country $n = 1, \dots, N$ can be expressed as:

$$C_t^n = \sum_{ij} C_{ij,t}^n$$

$$= \sum_{ij} \frac{C_{ij,t}^n}{E_{ij,t}^n} \frac{E_{ij,t}^n}{E_{i,t}^n} \frac{E_{i,t}^n / Y_{i,t}^n}{D_i^g(E_{i,t}^n, Y_{i,t}^n, C_{i,t}^n)} \frac{Y_{i,t}^n}{Y_t^n} \frac{D_i^g(E_{i,t}^n, Y_{i,t}^n, C_{i,t}^n)}{D_{i,t}^c(E_{i,t}^n, Y_{i,t}^n, C_{i,t}^n)} D_{i,t}^c(E_{i,t}^n, Y_{i,t}^n, C_{i,t}^n) \quad (1)$$

where $E_{ij,t}^n$ denotes the consumption of the type- j energy in the sub-sector i of country n at the period t , and $C_{ij,t}^n$ represents the CO₂ emissions from $E_{ij,t}^n$; $D_i^g(\cdot)$ and $D_i^c(\cdot)$ are the Shepard energy distance functions defined on the contemporaneous benchmark technology and the global benchmark technology, respectively. Specifically, the contemporaneous production technology for the industrial sub-sector $i = 1, \dots, I$ at time period $t = 1, \dots, T$ can be expressed as:

$$T_{i,t}^c = \{(E_{i,t}, Y_{i,t}, C_{i,t}) : E_{i,t} \text{ can produce } (Y_{i,t}, C_{i,t})\} \quad (2)$$

The global benchmark technology for the industrial sub-sector i is defined as ([40] and [41]):

$$T_i^g = \{T_{i,1}^c \cup T_{i,2}^c \cup \dots \cup T_{i,T}^c\} \quad (3)$$

According to [42], the Shepard energy distance function relative to the contemporaneous benchmark technology and the global benchmark technology can be described as Eq. (4) and Eq. (5), respectively.

$$D_{i,t}^c(E_{i,t}, Y_{i,t}, C_{i,t}) = \sup\{\theta : (E_{i,t} / \theta, Y_{i,t}, C_{i,t}) \in T_{i,t}^c\} \quad (4)$$

$$D_i^g(E_{i,t}, Y_{i,t}, C_{i,t}) = \sup\{\theta : (E_{i,t} / \theta, Y_{i,t}, C_{i,t}) \in T_i^g\} \quad (5)$$

Using DEA-type linear programming technique, the Shepard energy distance function can be estimated through the following optimization problems.

$$\begin{aligned}
& \left[D_{i,t}^c(E_{i,t}, Y_{i,t}, C_{i,t}) \right]^{-1} = \min \theta \\
& s.t. \quad \sum_{n=1}^N \lambda_n E_{i,t}^n \leq \theta E_{i,t} \\
& \quad \sum_{n=1}^N \lambda_n Y_{i,t}^n \geq \theta Y_{i,t} \\
& \quad \sum_{n=1}^N \lambda_n C_{i,t}^n = \theta C_{i,t} \\
& \quad \lambda_n \geq 0, n=1, \dots, N, t=1, \dots, T
\end{aligned} \tag{6}$$

$$\begin{aligned}
& \left[D_i^g(E_{i,t}, Y_{i,t}, C_{i,t}) \right]^{-1} = \min \theta \\
& s.t. \quad \sum_{t=1}^T \sum_{n=1}^N \lambda_{n,t} E_{i,t}^n \leq \theta E_{i,t} \\
& \quad \sum_{t=1}^T \sum_{n=1}^N \lambda_{n,t} Y_{i,t}^n \geq \theta Y_{i,t} \\
& \quad \sum_{t=1}^T \sum_{n=1}^N \lambda_{n,t} C_{i,t}^n = \theta C_{i,t} \\
& \quad \lambda_{n,t} \geq 0, n=1, \dots, N, t=1, \dots, T
\end{aligned} \tag{7}$$

Using the LMDI method, the change in CO₂ emissions between time period t and time period τ can be decomposed as:

$$C_{\tau}^n / C_t^n = D_{EMF} \times D_{EMX} \times D_{PEI} \times D_{STR} \times D_{EAT} \times D_{BPC} \times D_{EC} \tag{8}$$

$$\text{where } D_{EMF} = \exp \left\{ \frac{L(C_{ij,\tau}^n, C_{ij,t}^n)}{L(C_{\tau}^n, C_t^n)} \ln \frac{C_{ij,\tau}^n / E_{ij,\tau}^n}{C_{ij,t}^n / E_{ij,t}^n} \right\};$$

$$D_{EMX} = \exp \left\{ \frac{L(C_{ij,\tau}^n, C_{ij,t}^n)}{L(C_{\tau}^n, C_t^n)} \ln \frac{E_{ij,\tau}^n / E_{i,\tau}^n}{E_{ij,t}^n / E_{i,t}^n} \right\};$$

$$D_{PEI} = \exp \left\{ \frac{L(C_{ij,\tau}^n, C_{ij,t}^n)}{L(C_{\tau}^n, C_t^n)} \ln \frac{[E_{i,\tau}^n / D_{i,\tau}^c(E_{i,\tau}^n, Y_{i,\tau}^n, C_{i,\tau}^n)] / Y_{i,\tau}^n}{[E_{i,t}^n / D_{i,t}^c(E_{i,t}^n, Y_{i,t}^n, C_{i,t}^n)] / Y_{i,t}^n} \right\};$$

$$D_{STR} = \exp \left\{ \frac{L(C_{ij,\tau}^n, C_{ij,t}^n)}{L(C_{\tau}^n, C_t^n)} \ln \frac{Y_{i,\tau}^n / Y_{\tau}^n}{Y_{i,t}^n / Y_t^n} \right\};$$

$$D_{EAT} = \exp \left\{ \frac{L(C_{ij,\tau}^n, C_{ij,t}^n)}{L(C_{\tau}^n, C_t^n)} \ln \frac{Y_{\tau}^n}{Y_t^n} \right\};$$

$$D_{BPC} = \exp \left\{ \frac{L(C_{ij,\tau}^n, C_{ij,t}^n)}{L(C_{\tau}^n, C_t^n)} \ln \frac{D_i^g(E_{i,\tau}^n, Y_{i,\tau}^n, C_{i,\tau}^n) / D_i^c(E_{i,\tau}^n, Y_{i,\tau}^n, C_{i,\tau}^n)}{D_i^g(E_{i,t}^n, Y_{i,t}^n, C_{i,t}^n) / D_i^c(E_{i,t}^n, Y_{i,t}^n, C_{i,t}^n)} \right\};$$

$$D_{EC} = \exp \left\{ \frac{L(C_{ij,\tau}^n, C_{ij,t}^n)}{L(C_\tau^n, C_t^n)} \ln \frac{D_{i,\tau}^c(E_{i,\tau}^n, Y_{i,\tau}^n, C_{i,\tau}^n)}{D_{i,t}^c(E_{i,t}^n, Y_{i,t}^n, C_{i,t}^n)} \right\}.$$

$L(\cdot, \cdot)$ is a weighting scheme called logarithmic mean weight which is expressed as follows:

$$L(x, y) = \begin{cases} (x - y) / (\ln x - \ln y), & x \neq y \\ x, & x = y \end{cases} \quad (9)$$

The decomposition model presented above is a modification of [36]. Unlike [36], we introduce the global benchmark technology to establish the relationship between CO₂ emissions and energy use technology. Our formulation avoids the introduction of the cross-period distance functions so that it can be free from the infeasibility issue.

Eq. (8) shows that the change in CO₂ emissions over times can be decomposed into seven components. The first component D_{EMF} is the CO₂ emission factor effect. The second component D_{EMX} refers to the effect of energy mix change. The third component D_{PEI} captures the energy intensity change under the scenario without energy inefficiency relative to the global technology. Following [42] and [36], we term this component as the potential energy intensity change. The fourth component D_{STR} is industrial structure effect, accounting for the impact from output composition change. The fifth component D_{EAT} refers to the impact from output scale change which is usually regarded as economic activity effect.

$D_i^c(E_i^n, Y_i^n, C_i^n) / D_i^g(E_i^n, Y_i^n, C_i^n)$ is a best practice gap between the global technology (T_i^g) and the contemporaneous technology ($T_{i,t}^c$) measured along energy direction.

$\frac{D_i^c(E_{i,\tau}^n, Y_{i,\tau}^n, C_{i,\tau}^n) / D_i^g(E_{i,\tau}^n, Y_{i,\tau}^n, C_{i,\tau}^n)}{D_i^c(E_{i,t}^n, Y_{i,t}^n, C_{i,t}^n) / D_i^g(E_{i,t}^n, Y_{i,t}^n, C_{i,t}^n)}$ indicates the contemporaneous technology gets

closer to (shifts further away from) the global benchmark technology. In other words,

the value of this ratio means technological change. Thus, the sixth component D_{BPC} which is the weighting sum of the reciprocal of $\frac{D_i^c(E_{i,\tau}^n, Y_{i,\tau}^n, C_{i,\tau}^n) / D_i^s(E_{i,\tau}^n, Y_{i,\tau}^n, C_{i,\tau}^n)}{D_i^c(E_{i,t}^n, Y_{i,t}^n, C_{i,t}^n) / D_i^s(E_{i,t}^n, Y_{i,t}^n, C_{i,t}^n)}$ describes the impact from technological change in energy use. $1 / D_{i,t}^c(E_{i,t}^n, Y_{i,t}^n, C_{i,t}^n)$ is the ratio of the minimum energy input (under the contemporaneous technology) to the real energy input, which is usually defined as energy use efficiency (denoted as EC). The last component D_{EC} is the weighting sum of the reciprocal of EC , thereby indicating the effect of energy efficiency change.

In summary, the change in CO₂ emissions over time can be attributed into seven indexes: emission factor change, energy mix change, potential energy intensity change, output structure change, economic activity effect, the effect of energy technological change and the effect of energy efficiency change. For any one of them, it will contribute to the increase of (decline in) CO₂ emissions if its value is greater (less) than one.

2.2 Data

A panel data set including China's 30 provinces/municipalities during the period of 2006-2012 is collected for the empirical study¹. The whole economy for each province is divided into six subsectors: "agriculture", "industry", "construction", "transport, storage and post", "wholesale, retail, hotels and catering services", and "financial intermediation, real estate and other tertiary industries". The output variable is represented by value-added of the economic subsector. Data on value-added are

¹ Due to data unavailability, Tibet is not included in this study.

collected from China Premium Database¹. Data on different types of energy are obtained from China Energy Statistical Yearbook (CESY)². Data on energy-related CO₂ emissions are estimated by the method described in [43]. In addition, our calculation of energy-related CO₂ emissions also includes the indirect emissions from heat and power consumption of each subsector. Electricity emission factor is obtained by dividing energy-related CO₂ emissions from electricity generation by the power output. Heat emission factor is obtained by dividing energy-related CO₂ emissions from heat generation by the heat output. Data in value terms are measured at the 2005 real 10⁸ Chinese Yuan (CNY).

3. Results and discussion

3.1 Empirical results of decomposition

Table 1 reports changes in China's CO₂ emissions and contributions to CO₂ emission changes from effects of CO₂ emission factor (EMF), energy mix change (EMX), potential energy intensity change (PEI), industrial structure (STR), economic activity (EAT), technological change (BPC) and energy efficiency change (EC) in different provinces in China during 2006-2012.

As shown in column (1), we can see that CO₂ emissions in all provinces/municipalities in China increased during 2006-2012 except for Beijing. As a political and economic center of China, Beijing is one of the world's most polluted cities. Beijing made great efforts to reduce energy-related CO₂ emissions. For

¹ Available at: <http://www.ceicdata.com>.

² Available at: <http://tongji.cnki.net/overseas/engnavi/NaviDefault.aspx>

example, Beijing raised emission standards and promoted the use of electric automobiles during the preparation for the Olympic Games in 2008. In 2011, Beijing was identified as one of the pilots of the first batch of national carbon emission trading, and its carbon emission trading scheme was launched in the late 2012. Additionally, the local government used a series of measures to reduce CO₂ emissions: first, shutting down or moving highly polluted factories to neighboring provinces (e.g., Hebei, Tianjin); second, promoting the emission reduction policies such as “using electricity instead of coal” and “burning natural gas instead of coal”; third, encouraging the transfer of energy saving technologies in energy intensive industries, etc.

The values of CO₂ emission factor effect (D_{EMF}) in column (2) are almost smaller than 1 except for those in provinces of Gansu, Hainan, Inner Mongolia and Xinjiang. However, it can be seen that D_{EMF} has a trifling effect on emission changes.

The effect of energy mix change (D_{EMX}) in column (3) has led to the decline of CO₂ emissions in 13 provinces in China. However, the energy mix change for 17 provinces contributes to their increase in CO₂ emissions. The findings are a little different from the results of [44] which shows that the effect of energy mix change play a negative role in CO₂ emissions in most of China’s provinces.

The effect of potential energy intensity (D_{PEI}) in column (4) measures the impact of energy intensity change on CO₂ emissions under the scenario without energy inefficiency relative to the global technology. The values of D_{PEI} in this paper are almost less than one. The results are basically consistent with the findings of [38],

indicating that the change of energy intensity will contribute to the decline of CO₂ emissions when inefficiency of the energy-usage technology relative to the global technology has been improved as much as possible. In particular, provinces such as Hunan, Jilin and Anhui have experienced larger impacts of D_{PEI} compared to other provinces. In contrast, provinces such as Hainan and Xinjiang have experienced increased potential energy intensity that leads to increasing CO₂ emissions.

The values of industrial structure effect (D_{STR}) in column (5) were smaller than one for most provinces/municipalities including Beijing, Gansu, Guangdong, Guizhou, Hainan, Hebei, Heilongjiang, Jiangsu, Ningxia, Shandong, Shanxi, Shaanxi, Shanghai, Tianjin, Xinjiang, Yunnan and Zhejiang. In which, 9 provinces/municipalities are economically developed regions located in the eastern coast of China; 6 provinces are the less economically developed regions located in the western China; and 2 provinces are from central China. It indicated that the industrial structure change has changed such that CO₂ emissions have decreased in these provinces. However, the values of D_{STR} were larger than one for provinces such as Anhui, Guangxi, Henan, Hubei, Hunan, Jilin, Jiangxi, Liaoning, Inner Mongolia, Qinghai, Sichuan and so on. It can be seen that most of the listed provinces are less economically developed regions located in the central and western China. In addition, the economic transfer (the transfer of energy-intensive industries) between East and West China may accelerate the transfer of pollution between the two regions.

As shown in column (6), the values of economic activity change (D_{EAT}) in all provinces in China are greater than one in this paper. Results indicated that D_{EAT} has

played the most dominant role in increasing CO₂ emissions in all provinces in China. The changes for provinces/municipalities such as Anhui, Fujian, Guangxi, Guizhou, Hubei, Hunan, Jiangxi, Liaoning, Inner Mongolia, Qinghai, Shaanxi, Sichuan, Tianjin and Chongqing are greater than the geometric mean (2.0343), indicating that these provinces have experienced higher increases in CO₂ emissions by economic activity expansion. It can be seen that most of listed provinces are located in the central and western China. These findings are in line with most previous studies, e.g., [35]; [38]; [44].

Columns (7) in Table 1 described the effect of technological change (D_{BPC}) on CO₂ emission changes. The indicator reflected the capabilities for innovating new and advanced technologies. In general, the impacts of technological improvement on CO₂ emission reductions were insignificant, implying that technological change has a weaker influence on the reduction of CO₂ emissions compared to other indicators. However, for China's wealthy coastal provinces or rich municipalities including Beijing, Guangdong, Shanghai and Tianjin, the contributions of D_{BPC} to the abatement of CO₂ emissions were significant. As the most developed metropolises in China, the top research institutions were concentrated in Beijing and Shanghai. With the advantage of location close to Beijing, Tianjin has recorded China's highest per-capita GDP since 2013. Additionally, Tianjin was transforming into a hub city for research and development ([45]). As the richest province which borders on Hong Kong, Guangdong has experienced rapid technological progress in recent years ([35]).

Columns (8) in Table 1 described the effect of energy efficiency change (D_{EC}) on

CO₂ emission changes. Results indicated that most provinces decreased CO₂ emissions due to the improved energy efficiencies. Meanwhile D_{EC} in provinces/municipalities such as Hebei, Hubei, Qinghai, Shaanxi, Shanghai, Sichuan, Tianjin and Chongqing slightly affected growing CO₂ emissions.

Table 1 here

3.2 The potential of CO₂ emission reductions

This subsection further measures the potential CO₂ reduction (PCR) in China. Under the contemporaneous technology scenario, the PCR for region n at the time period t can be calculated as:

$$PCR_{t,c}^n = C_t^n - C_{t,bpc}^n$$

$$C_{t,bpc}^n = \sum_{ij} \frac{C_{ij,t}^n}{E_{ij,t}^n} \frac{E_{ij,t}^n}{E_{i,t}^n} \frac{E_{i,t}^n / D_i^c(E_{i,t}^n, Y_{i,t}^n, C_{i,t}^n)}{Y_{i,t}^n} Y_{i,t}^n \quad (12)$$

We obtain the potential of nationwide CO₂ emission reduction by summing up the potentials of CO₂ emission reduction in different regions in China. Results of the potential CO₂ reduction under the contemporaneous technology scenario are shown in [Table 2](#).

Table 2 here

As shown in [Table 2](#), the nationwide potential CO₂ reductions (PCR) under the contemporaneous technology scenario showed an increasing trend overall. Specifically, the nationwide PCR increased from 15.70 billion tons in 2006 to 20.81 billion tons in 2012 with an average growth rate of 4.93 per annum. The smaller the

numerical value of PCR is, the closer the technological gap between each province/municipality's actual technology and the contemporaneous technology is. In other words, PCR indicates the successfulness of the adoption of the contemporaneous technology of each province/municipality. Therefore, results showed that China's capabilities to improve production technical efficiency through introducing international advanced technologies and international cooperation on technological innovation have been weakened over the years.

The PCRs of provinces/municipalities including Beijing, Hainan, Shanghai, Tianjin, Zhejiang and so on were relatively lower. This means that the diffusion of production technologies of these provinces/municipalities were more efficient. Most of the above provinces were economically developed regions located in East China. Among which, the PCR of Hainan was the lowest, the average value of which was 0.0973 billion tons during 2006-2012. Particularly, the PCR of Beijing dropped significantly from 0.2442 billion tons in 2010 to 0.0973 billion tons in 2011, equivalent to a decrease of 60.16%. Moreover, Beijing, Guangdong and Shanghai have experienced lower potential for mitigation over time. The results are consistent with the analysis in section 3.1.

On the contrary, the PCRs of provinces such as Hebei, Henan, Liaoning, Shandong and Shanxi were relatively higher. This means that the diffusions of production technologies of these provinces/municipalities were less efficient. In particular, the PCR of Hebei was the highest among provinces, the average value of which was 2.0082 billion tons during 2006-2012, accounting for 40.69% of the

nationwide average value of PCR. In preparation for the 2008 Olympics, Beijing moved some highly polluted and high energy-consuming industries out of the city to Hebei province to control industrial pollution. With the integration of Beijing-Tianjin-Hebei, more energy intensive industries have been relocated in Hebei province. The simply relocation of these industries without technological upgrades might be the possible reason for the high PCR of Hebei.

Similarly, the PCR for region n at the time period t under the global technology scenario can be calculated as:

$$PCR_{t,g}^n = C_t^n - C_{t,bpg}^n$$

$$C_{t,bpg}^n = \sum_{ij} \frac{C_{ij,t}^n}{E_{ij,t}^n} \frac{E_{ij,t}^n}{E_{i,t}^n} \frac{E_{i,t}^n / D_i^g(E_{i,t}^n, Y_{i,t}^n, C_{i,t}^n)}{Y_{i,t}^n} Y_{i,t}^n \quad (13)$$

Results of the potential CO₂ reduction under the global technology scenario are shown in [Table 3](#). Under the global technology scenario, PCR indicated the successfulness of the adoption of the global technology, which also reflected the degree of international cooperation on technological innovation and development. Results indicated that the nationwide potential CO₂ reduction (PCR) under the global technology scenario also showed an increasing trend overall. These can be interpreted to mean that the gaps between China's actual technology and the global technology have become larger over the years. In other words, China's capabilities to improve production technological efficiency through introducing international advanced technologies or international cooperation on technological innovation and development have been weakened in recent years, and thus resulted in the production technological efficiency of China trailed far behind the world. Although China has

become a global manufacturing center, most products made in China have low added value. According to China statistical yearbooks, the dominant technological intensity level of the Chinese manufacturing industry was low-tech (more than 40%). In the current state of the global supply chain, China's manufacturing industry mainly plays the role of "manufacturing, processing and assembly". In addition, the development of the secondary industry was relatively extensive during the rapid urbanization process, and the introduction of international advanced technology was relatively limited. Therefore, upgrading manufacturing technology levels would be a big challenge faced by China in a new phase of economic development.

Comparatively, the numerical values of PCR were larger under the global technology scenario than those under the contemporaneous technology scenario. It indicated that the technological diffusion under the global technology scenario among provinces in China would be slower than that under the contemporaneous technology. This means that the abilities of provinces/municipalities in China to adopting global technologies related to energy usage were even weaker. Specially, provinces such as Hainan, Beijing, Gansu, Ningxia, Qinghai, Tianjin, Shanghai and so on have lower potentials for emission mitigation than provinces including Hebei, Henan, Hubei, Liaoning, Shandong, Shanxi and Sichuan. On one hand, these can be interpreted to mean that provinces/municipalities such as Hainan, Beijing, Gansu, Ningxia, Qinghai, Tianjin, Shanghai and so on have made efforts to adopt the relatively latest production technologies through international cooperation. On the other hand, these can also be interpreted to mean that the spread of energy conservation technologies and

reductions in inter-regional technological disparity would be effective in reducing carbon emissions in technically inefficient regions.

Table 3 here

4. Conclusions and implications

As the public concerns about environmental pollution increase and the global concern about the increasing CO₂ emissions from China, how to control and mitigate CO₂ emissions have become the priority of the Chinese government at the stage of “new normal” economic development. Although the government has set reduction targets of CO₂ emissions for different regions in China, the reasonable allocation of regional CO₂ reduction targets based on the actual situations and reduction potentials as well as the differentiated reduction strategies among regions still need further research.

With a production-based decomposition approach ([36]), this study identified the emission trends among different provinces/municipalities in China, discussed the impacts of the driving forces behind CO₂ emissions, and evaluated the mitigation potential of each province/municipality under the scenarios of contemporaneous technology and global technology. Specifically, this paper introduced the global benchmark technology to establish the relationship between CO₂ emissions and energy use technology. Additionally, we combined the advantages of IDA and PDA to examine the impacts of energy mix effect and the industrial structure effect on China’s CO₂ emission changes, which made up for the defects of PDA that may result in

unreasonable results in the measurement of the above two kinds of effects.

The changes of CO₂ emissions for China's 30 provinces/municipalities were decomposed into seven components for the time period 2006-2012. The decomposition results showed that CO₂ emissions in all provinces/municipalities in China increased during 2006-2012 except for Beijing. The results provided strong evidence that the economic activity effect is the main driver behind rising emissions, which is consistent with the conclusions of the existing literature, while changes in potential energy intensity, energy mix and energy efficiency change have led to CO₂ emission reductions in most provinces/municipalities in China. In general, the impacts of technological improvement on CO₂ emission reductions were trifling. However, for provinces/municipalities including Beijing, Guangdong, Shanghai and Tianjin, the contributions of technological change to the abatement of CO₂ emissions were significant. These can be interpreted to mean that the above provinces/municipalities showed stronger capabilities for innovating new and advanced energy saving technologies.

Because of the increase in the service sector and a decrease in the secondary sector, industrial structure changes have reduced CO₂ emissions in many economically developed regions located in the eastern coast of China. However, the growing proportion of secondary industry due to the economic transfer between East and West China, the changes of industrial structure have resulted in the increase in CO₂ emissions in many less economically developed regions located in western China.

Based on the analysis of the potential of CO₂ emission reductions (PCR), we determined that China have experienced higher potential for mitigation over time. Additionally, the numerical values of PCR were larger under the global technology scenario compared to those under the contemporaneous technology scenario. However, the PCRs of economically developed regions located in East China were relatively lower than the less economically developed regions located in central and western China. This means that the diffusions of production technologies of economically developed regions were more efficient. Results indicated that research and development investment in production technology as well as the spread of advanced technologies through international cooperation can effectively reduce the potential for CO₂ emissions mitigation. In particular, the results revealed that energy conservation technology (ECT) promotion and reductions in inter-regional technological disparity would be effective in reducing carbon emissions in technically inefficient regions. Therefore, this paper also provided insights into how the underdeveloped regions in western area of China may develop a low emissions future.

Acknowledgements

This paper is supported by National Natural Science Foundation of China (No. 71603148; No. 71472065), China Postdoctoral Science Foundation (No. 2016M590627), Overseas Published Project for Humanities and Social Science of East China Normal University (2015HW006).

References

[1] Fan Y, Liu L-C, Wu G, Tsai H-T, Wei Y-M. Changes in carbon intensity in China: empirical findings from 1980–2003. *Ecological Economics*. 2007;62:683-91.

- [2] Dhakal S. Urban energy use and carbon emissions from cities in China and policy implications. *Energy Policy*. 2009;37:4208-19.
- [3] Tian X, Chang M, Tanikawa H, Shi F, Imura H. Structural decomposition analysis of the carbonization process in Beijing: A regional explanation of rapid increasing carbon dioxide emission in China. *Energy Policy*. 2013;53:279-86.
- [4] Du K, Lu H, Yu K. Sources of the potential CO₂ emission reduction in China: a nonparametric metafrontier approach. *Applied Energy*. 2014;115:491-501.
- [5] Ouyang X, Lin B. An analysis of the driving forces of energy-related carbon dioxide emissions in China's industrial sector. *Renewable and Sustainable Energy Reviews*. 2015;45:838-49.
- [6] Lin B, Du K. Energy and CO₂ emissions performance in China's regional economies: Do market-oriented reforms matter? *Energy Policy*. 2015;78:113-24.
- [7] Meng L, Guo J, Chai J, Zhang Z. China's regional CO₂ emissions: characteristics, inter-regional transfer and emission reduction policies. *Energy Policy*. 2011;39:6136-44.
- [8] Lin B, Du K. Technology gap and China's regional energy efficiency: A parametric metafrontier approach. *Energy Economics*. 2013;40:529-36.
- [9] Yi W-J, Zou L-L, Guo J, Wang K, Wei Y-M. How can China reach its CO₂ intensity reduction targets by 2020? A regional allocation based on equity and development. *Energy Policy*. 2011;39:2407-15.
- [10] Ang BW. Decomposition analysis for policymaking in energy: which is the preferred method? *Energy policy*. 2004;32:1131-9.
- [11] Rose A, Casler S. Input-output structural decomposition analysis: a critical appraisal. *Economic Systems Research*. 1996;8:33-62.
- [12] Ang B, Choi K-H. Decomposition of aggregate energy and gas emission intensities for industry: a refined Divisia index method. *The Energy Journal*. 1997:59-73.
- [13] Sun J. Changes in energy consumption and energy intensity: a complete decomposition model. *Energy economics*. 1998;20:85-100.
- [14] Ang BW, Zhang F. A survey of index decomposition analysis in energy and

- environmental studies. *Energy*. 2000;25:1149-76.
- [15] Ang BW, Liu FL. A new energy decomposition method: perfect in decomposition and consistent in aggregation. *Energy*. 2001;26:537-48.
- [16] Hoekstra R, Van Den Bergh JC. Structural decomposition analysis of physical flows in the economy. *Environmental and resource economics*. 2002;23:357-78.
- [17] Hoekstra R, Van den Bergh JC. Comparing structural decomposition analysis and index. *Energy economics*. 2003;25:39-64.
- [18] Lise W. Decomposition of CO₂ emissions over 1980–2003 in Turkey. *Energy Policy*. 2006;34:1841-52.
- [19] Su B, Ang B. Structural decomposition analysis applied to energy and emissions: some methodological developments. *Energy Economics*. 2012;34:177-88.
- [20] Xu X, Ang BW. Index decomposition analysis applied to CO₂ emission studies. *Ecological Economics*. 2013;93:313-29.
- [21] Wang C, Chen J, Zou J. Decomposition of energy-related CO₂ emission in China: 1957–2000. *Energy*. 2005;30:73-83.
- [22] Wu L, Kaneko S, Matsuoka S. Driving forces behind the stagnancy of China's energy-related CO₂ emissions from 1996 to 1999: the relative importance of structural change, intensity change and scale change. *Energy policy*. 2005;33:319-35.
- [23] Liu L-C, Fan Y, Wu G, Wei Y-M. Using LMDI method to analyze the change of China's industrial CO₂ emissions from final fuel use: an empirical analysis. *Energy Policy*. 2007;35:5892-900.
- [24] Donglan Z, Dequn Z, Peng Z. Driving forces of residential CO₂ emissions in urban and rural China: an index decomposition analysis. *Energy Policy*. 2010;38:3377-83.
- [25] Lin B, Ouyang X. Analysis of energy-related CO₂ (carbon dioxide) emissions and reduction potential in the Chinese non-metallic mineral products industry. *Energy*. 2014;68:688-97.
- [26] Zhang M, Mu H, Ning Y. Accounting for energy-related CO₂ emission in China, 1991–2006. *Energy Policy*. 2009;37:767-73.
- [27] Zhao M, Tan L, Zhang W, Ji M, Liu Y, Yu L. Decomposing the influencing

- factors of industrial carbon emissions in Shanghai using the LMDI method. *Energy*. 2010;35:2505-10.
- [28] Kaivo-oja J, Luukkanen J, Panula-Ontto J, Vehmas J, Chen Y, Mikkonen S, et al. Are structural change and modernisation leading to convergence in the CO₂ economy? Decomposition analysis of China, EU and USA. *Energy*. 2014;72:115-25.
- [29] Kim Y, Worrell E. International comparison of CO₂ emission trends in the iron and steel industry. *Energy policy*. 2002;30:827-38.
- [30] Ma C, Stern DI. China's changing energy intensity trend: A decomposition analysis. *Energy economics*. 2008;30:1037-53.
- [31] Lin B, Du K. Decomposing energy intensity change: A combination of index decomposition analysis and production-theoretical decomposition analysis. *Applied Energy*. 2014;129:158-65.
- [32] Du K, Lin B. Understanding the rapid growth of China's energy consumption: A comprehensive decomposition framework. *Energy*. 2015;90:570-7.
- [33] Wang C. Decomposing energy productivity change: a distance function approach. *Energy*. 2007;32:1326-33.
- [34] Zhou P, Ang B. Decomposition of aggregate CO₂ emissions: a production-theoretical approach. *Energy Economics*. 2008;30:1054-67.
- [35] Li M. Decomposing the change of CO₂ emissions in China: a distance function approach. *Ecological Economics*. 2010;70:77-85.
- [36] Kim K, Kim Y. International comparison of industrial CO₂ emission trends and the energy efficiency paradox utilizing production-based decomposition. *Energy Economics*. 2012;34:1724-41.
- [37] Zhang Y-J, Da Y-B. Decomposing the changes of energy-related carbon emissions in China: evidence from the PDA approach. *Natural hazards*. 2013;69:1109-22.
- [38] Wang Q, Chiu Y-H, Chiu C-R. Driving factors behind carbon dioxide emissions in China: A modified production-theoretical decomposition analysis. *Energy Economics*. 2015;51:252-60.
- [39] Wang C. Sources of energy productivity growth and its distribution dynamics in

508 China. *Resource and Energy Economics*. 2011;33:279-92.

509 [40] Pastor JT, Lovell CK. A global Malmquist productivity index. *Economics Letters*.
510 2005;88:266-71.

511 [41] Oh D-h. A metafrontier approach for measuring an environmentally sensitive
512 productivity growth index. *Energy Economics*. 2010;32:146-57.

513 [42] Zhou P, Ang BW, Poh K-L. A survey of data envelopment analysis in energy and
514 environmental studies. *European Journal of Operational Research*. 2008;189:1-18.

515 [43] Liu Z, Geng Y, Lindner S, Guan D. Uncovering China's greenhouse gas emission
516 from regional and sectoral perspectives. *Energy*. 2012;45:1059-68.

517 [44] Li A, Zhang A, Zhou Y, Yao X. Decomposition analysis of factors affecting
518 carbon dioxide emissions across provinces in China. *Journal of Cleaner Production*.
519 2017;141:1428-44.

520 [45] Shi H, Chertow M, Song Y. Developing country experience with eco-industrial
521 parks: a case study of the Tianjin Economic-Technological Development Area in
522 China. *Journal of Cleaner Production*. 2010;18:191-9.

523