

Operational risks of Malaysia-Singapore high speed rail infrastructure to extreme climate conditions

Binti Saadin, Sazrul Leena; Kaewunruen, Sakdirat; Jaroszweski, David; Dindar, Serdar

Document Version
Peer reviewed version

Citation for published version (Harvard):

Binti Saadin, SL, Kaewunruen, S, Jaroszweski, D & Dindar, S 2016, Operational risks of Malaysia-Singapore high speed rail infrastructure to extreme climate conditions. in *The 1st Asian Conference on Railway Infrastructure and Transportation*.

[Link to publication on Research at Birmingham portal](#)

General rights

Unless a licence is specified above, all rights (including copyright and moral rights) in this document are retained by the authors and/or the copyright holders. The express permission of the copyright holder must be obtained for any use of this material other than for purposes permitted by law.

- Users may freely distribute the URL that is used to identify this publication.
- Users may download and/or print one copy of the publication from the University of Birmingham research portal for the purpose of private study or non-commercial research.
- User may use extracts from the document in line with the concept of 'fair dealing' under the Copyright, Designs and Patents Act 1988 (?)
- Users may not further distribute the material nor use it for the purposes of commercial gain.

Where a licence is displayed above, please note the terms and conditions of the licence govern your use of this document.

When citing, please reference the published version.

Take down policy

While the University of Birmingham exercises care and attention in making items available there are rare occasions when an item has been uploaded in error or has been deemed to be commercially or otherwise sensitive.

If you believe that this is the case for this document, please contact UBIRA@lists.bham.ac.uk providing details and we will remove access to the work immediately and investigate.

Operational risks of Malaysia-Singapore high speed rail infrastructure to extreme climate conditions

Sazrul Leena Binti Sa'adin¹, Sakdirat Kaewunruen², David Jaroszowski³, Serdar Dindar⁴

¹ Department of Public Works, Ministry of Interior, Kuala Lumpur, Malaysia. E-mail: leena@jkr.gov.my

² Birmingham Centre for Railway Research and Education, School of Engineering, The University of Birmingham, Birmingham, B15 2TT UK. E-mail: s.kaewunruen@bham.ac.uk

³ Birmingham Centre for Railway Research and Education, School of Engineering, The University of Birmingham, Birmingham, B15 2TT UK. E-mail: D.J.Jaroszowski@bham.ac.uk

⁴ Birmingham Centre for Railway Research and Education, School of Engineering, The University of Birmingham, Birmingham, B15 2TT UK. E-mail: SXD319@student.bham.ac.uk

ABSTRACT

Based on several decades of scientific observations, the world agrees that climate change is real and unequivocal. Around the world, atmospheric and oceanic temperature has been increasing, the amount of ice on the earth is decreasing, and then sea level has risen. In reality, the current railway network in Malaysia, over the last decade, has been significantly affected by severe weather conditions such as rainfall, lightning, wind and very high temperatures. These extreme climate conditions can result in asset system failure, quickly deteriorated operation and ultimately, delays to train services. Thus to avoid those disaster to happen, such infrastructure resilience is a vital for the new proposed High Speed Railway from Kuala Lumpur, Malaysia to Singapore. Identifying new and innovative way of improving infrastructure, which is resilience during periods of severe weather conditions, will reinforce the operational resilience of HSR once it is open. This study is therefore focused on the risks and pertinent effects of climate change on HSR infrastructure operation in Malaysia, including their operational requirements, local conditions including topographical and geological aspects, together with the operational requirements and local conditions to the design of infrastructure.

INTRODUCTION

Globally, High Speed Rail (HSR) has become a catalyst for economic and societal growth, including in Malaysia. Its long-term economic repercussion has brought up strong interest amongst policy makers across the globe for in establishing the HSR for city and regional developments. In the development of this new form of transportation, Malaysia needs to ensure that the new HSR can cope with and adapt to the potential environmental changes. Also, railway operators generally face uncertainties from the complexities of climate change and the difficulties in predictions of climate model outputs (Remennikov et al., 2012; Remennikov and Kaewunruen, 2008). Extreme weather has affected railway operations and safety, including fatalities, injuries, property damage, delay and loss of opportunity. Little research has been conducted in Malaysia despite climate change posing serious challenges to infrastructure projects. As a result, no one knows exactly how vulnerable it will be especially with respect to transport infrastructure. It has been widely recognized that there is a need to integrate consideration of climate change and its impacts in design, development policies and projects (Kramer et al., 2010). 'Decisions

For full paper, please contact sakdirat@hotmail.com

For full paper, please contact sakdirat@hotmail.com

ACKNOWLEDGEMENT

The authors are grateful to Malaysia Land Public Transport Commission (SPAD) for the information and the financial support throughout this study. The second author wishes to thank Japan Society for the Promotion of Sciences for his Invitation Research Fellowship (Long term) at JR RTRI and U Tokyo, Japan. Financial support from European Commission for H2020-MSCA-RISE 'RISEN' Project (No 691135) is gratefully acknowledged.

REFERENCES

- IPCC. (2014). IPCC,2014: Climate Change 2014: Synthesis Report. Contribution of Working Groups I, II and III to the Fifth Assessment Report of the Intergovernmental Panel of the Intergovernmental Panel on Climate Change. Geneva: IPCC.
- Kramer S., A., Prudent-Richard A., G., & Sainsbury M. (2010). "Incorporating climate change impacts and adaption in Environmental Impact Assessments: Opportunities and Challenges." OECD Environmental Working Paper no.24.
- Remennikov, A.M., Kaewunruen, S. (2008). A review of loading conditions for railway track structures due to train and track vertical interaction, *Structural Control and Health Monitoring*. 15(2), 207-234.
- Remennikov, A.M., Murray, M.H., and Kaewunruen, S. (2012), "Reliability based conversion of a structural design code for prestressed concrete sleepers," *IMEchE Part F J. Rail and Rapid Transit*, 226(2), pp. 155-173.
- Saadin, L, Kaewunruen, S., Jaroszweski, D. (2016). Climate change vulnerability and adaptation for the Singapore-Malaysia high-speed rail system, *The Ingenieur (Board of Engineers Malaysia)*. 66(2): 44-54.
- Victorian Government. (2005). *Victorian Greenhouse Strategy Action Plane Update*. Victoria, Australia: Victorian Government.
- United Nations University. (2005, November). Climate change will mean more landslides, experts warn. Retrieved October 22, 2015, from update.unu.edu: archive.unu.edu/update/issue40_10.htm.
- Zakaria, S., & Ahmad Jamalluddin Shaaban, C. Y. (n.d.). *National Policy Responses to Climate Change: Malaysia Experience*. Kuala Lumpur: National Hydraulic Research Institute of Malaysia (NAHRIM), Malaysia