

## Systematic review and narrative synthesis of the impact of Appreciative Inquiry in healthcare

Merriel, Abi; Wilson, Amie; Decker, Emily; Hussein, Julia; Larkin, Michael; Barnard, Katie; O'Dair, Millie; Costello, Anthony; Malata, Address; Coomarasamy, Arri

DOI:

[10.1136/bmjopen-2022-001911](https://doi.org/10.1136/bmjopen-2022-001911)

License:

Creative Commons: Attribution-NonCommercial (CC BY-NC)

### Document Version

Publisher's PDF, also known as Version of record

### Citation for published version (Harvard):

Merriel, A, Wilson, A, Decker, E, Hussein, J, Larkin, M, Barnard, K, O'Dair, M, Costello, A, Malata, A & Coomarasamy, A 2022, 'Systematic review and narrative synthesis of the impact of Appreciative Inquiry in healthcare', *BMJ open quality*, vol. 11, no. 2, e001911. <https://doi.org/10.1136/bmjopen-2022-001911>

[Link to publication on Research at Birmingham portal](#)

### General rights

Unless a licence is specified above, all rights (including copyright and moral rights) in this document are retained by the authors and/or the copyright holders. The express permission of the copyright holder must be obtained for any use of this material other than for purposes permitted by law.

- Users may freely distribute the URL that is used to identify this publication.
- Users may download and/or print one copy of the publication from the University of Birmingham research portal for the purpose of private study or non-commercial research.
- User may use extracts from the document in line with the concept of 'fair dealing' under the Copyright, Designs and Patents Act 1988 (?)
- Users may not further distribute the material nor use it for the purposes of commercial gain.

Where a licence is displayed above, please note the terms and conditions of the licence govern your use of this document.

When citing, please reference the published version.

### Take down policy

While the University of Birmingham exercises care and attention in making items available there are rare occasions when an item has been uploaded in error or has been deemed to be commercially or otherwise sensitive.

If you believe that this is the case for this document, please contact [UBIRA@lists.bham.ac.uk](mailto:UBIRA@lists.bham.ac.uk) providing details and we will remove access to the work immediately and investigate.

# BMJ Open Quality Systematic review and narrative synthesis of the impact of Appreciative Inquiry in healthcare

Abi Merriel ,<sup>1</sup> Amie Wilson,<sup>2</sup> Emily Decker,<sup>3</sup> Julia Hussein,<sup>4</sup> Michael Larkin,<sup>5</sup> Katie Barnard,<sup>6</sup> Millie O'Dair,<sup>7</sup> Anthony Costello,<sup>8</sup> Address Malata,<sup>9</sup> Arri Coomarasamy<sup>10</sup>

**To cite:** Merriel A, Wilson A, Decker E, *et al.* Systematic review and narrative synthesis of the impact of Appreciative Inquiry in healthcare. *BMJ Open Quality* 2022;**11**:e001911. doi:10.1136/bmjopen-2022-001911

► Additional supplemental material is published online only. To view, please visit the journal online (<http://dx.doi.org/10.1136/bmjopen-2022-001911>).

Received 22 March 2022  
Accepted 31 May 2022



© Author(s) (or their employer(s)) 2022. Re-use permitted under CC BY-NC. No commercial re-use. See rights and permissions. Published by BMJ.

For numbered affiliations see end of article.

## Correspondence to

Dr Abi Merriel;  
[abi.merriel@bristol.ac.uk](mailto:abi.merriel@bristol.ac.uk)

## ABSTRACT

**Background** Appreciative Inquiry is a motivational, organisational change intervention, which can be used to improve the quality and safety of healthcare. It encourages organisations to focus on the positive and investigate the best of 'what is' before thinking of 'what might be', deciding 'what should be' and experiencing 'what can be'. Its effects in healthcare are poorly understood. This review seeks to evaluate whether Appreciative Inquiry can improve healthcare.

**Methods** Major electronic databases and grey literature were searched. Two authors identified reports of Appreciative Inquiry in clinical settings by screening study titles, abstracts and full texts. Data extraction, in duplicate, grouped outcomes into an adapted Kirkpatrick model: participant reaction, attitudes, knowledge/skills, behaviour change, organisational change and patient outcomes.

**Results** We included 33 studies. One randomised controlled trial, 9 controlled observational studies, 4 qualitative studies and 19 non-controlled observational reports. Study quality was generally poor, with most having significant risk of bias. Studies report that Appreciative Inquiry impacts outcomes at all Kirkpatrick levels. Participant reaction was positive in the 16 studies reporting it. Attitudes changed in the seventeen studies that reported them. Knowledge/skills changed in the 14 studies that reported it, although in one it was not universal. Behaviour change occurred in 12 of the 13 studies reporting it. Organisational change occurred in all 23 studies that reported it. Patient outcomes were reported in eight studies, six of which reported positive changes and two of which showed no change.

**Conclusion** There is minimal empirical evidence to support the effectiveness of Appreciative Inquiry in improving healthcare. However, the qualitative and observational evidence suggests that Appreciative Inquiry may have a positive impact on clinical care, leading to improved patient and organisational outcomes. It is, therefore, worthy of consideration when trying to deliver improvements in care. However, high-quality studies are needed to prove its effects.

**PROSPERO registration number** CRD42015014485.

## INTRODUCTION

Healthcare organisations are under pressure to improve the quality and safety of their services.<sup>1</sup> One action cycle method for

### WHAT IS ALREADY KNOWN ON THIS TOPIC?

- ⇒ Appreciative Inquiry has been successfully used for organisational change outside of a healthcare setting for three decades.
- ⇒ Changes in healthcare environments as a result of Appreciative Inquiry have been reported, for example, changing processes, defining services and improving the working environment.

### WHAT THIS STUDY ADDS?


- ⇒ We draw on a global evidence base to systematically consider the outcomes reported in Appreciative Inquiry studies to evaluate its effectiveness.
- ⇒ We show that while the empirical effectiveness of Appreciative Inquiry is unclear, the qualitative and observational data suggest that Appreciative Inquiry could be a positive organisational change technique.

### HOW THIS STUDY MIGHT AFFECT RESEARCH, PRACTICE OR POLICY?

- ⇒ We would like to encourage those interested in healthcare improvement to consider Appreciative Inquiry approaches for their organisational change initiatives.
- ⇒ We present the myriad ways that Appreciative Inquiry can have impact within a healthcare environment and encourage implementers/evaluators to use this framework to systematically consider all of these areas to document and report their Appreciative Inquiry studies/projects.

improving quality and safety is Appreciative Inquiry.<sup>1,2</sup> Outside of healthcare, the benefits of Appreciative Inquiry have been widely described and include increased profits, reduced absenteeism and improved customer service.<sup>3</sup> Appreciative Inquiry in the healthcare setting has been less well documented<sup>2</sup> although its popularity is growing.<sup>1,4</sup>

Appreciative Inquiry is a philosophical approach that seeks to harness the unique creativity of organisations, focusing on strengths, rather than becoming defensive and problem focused.<sup>5,6</sup> It encourages new thinking, improvisation and aims to achieve



**Figure 1** The Appreciative Inquiry Cycle.

transformational change.<sup>7</sup> Appreciative Inquiry investigates the best of ‘what is’ before thinking of ‘what might be’, deciding ‘what should be’ and finally experiencing ‘what can be’.<sup>5</sup> There is no ‘fixed’ method, Appreciative Inquiry is grounded in some ‘principles’. However the ‘4D cycle’ has emerged as the leading framework (figure 1).<sup>5</sup>

A practical example of the use of Appreciative Inquiry in a healthcare context can be taken from an Indian study.<sup>8,9</sup> Using the 4D cycle, in the ‘Discovery’ phase, they arranged meetings with hospital staff, where experiences of saving lives in childbirth were shared and celebrated. Staff then interviewed each other. Following feedback, the ‘Dream’ phase facilitated staff to develop aspirations. The overarching one was to be ‘the best hospital for infection control’. In the ‘design’ phase, they developed measurable and achievable action plans. In the ‘destiny’ phase, they discussed ways to sustain their plans and continue the good work.<sup>8</sup>

A systematic review<sup>2</sup> of Appreciative Inquiry in healthcare showed a breadth of issues being addressed but did not fully evaluate the effects. A more recent review of Appreciative Inquiry in nursing practice concluded that Appreciative Inquiry was often implemented without attention to its pivotal components, but instead a ‘sanitised’ version of the 4D cycle was used.<sup>4</sup> This review will focus on whether Appreciative Inquiry is able to improve healthcare.

## METHODS

Appreciative Inquiry is a complex intervention; therefore, heterogeneity between studies in terms of the intervention, study design and outcomes was expected. Narrative synthesis was selected<sup>10</sup> to flexibly identify, include and synthesise diverse studies.<sup>11</sup>

### Data sources

A search of major electronic databases (Medline, Embase, Cochrane collaboration, PsychINFO, Sociological

Abstracts, Allied and Complimentary Medicine Database, British Nursing Index, Health Management Information Consortium, Health Business Elite and CINAHL) from 1987, until 8 December 2020, was undertaken. Grey literature was identified using Eldis, UK Data Service and websites of quality improvement and development organisations. Experts were contacted and reference lists of included studies and review papers were screened. Search terms were ‘appreciative’, ‘4D cycle’, ‘transformational’ and ‘non-punitive’ in titles and abstracts. This approach was inclusive, and though would generate a large number of records, would ensure that relevant studies were not missed.

### Study selection

Included studies were of any design, but the intervention must have been described or referenced. We included studies of all quality to provide the fullest picture of the real-world implementation of Appreciative Inquiry. We report the study quality and draw conclusions in line with the quality of available evidence. There were no limits on language or country/region studied. Participants included healthcare/allied healthcare staff, delivering direct clinical care. The Appreciative Inquiry interventions could also include healthcare administrators, managers, patients and students.

Studies were not eligible for inclusion if Appreciative Inquiry was being targeted solely at participants not involved in clinical care or if there was no description of the intervention or any of the outcomes of interest.


### Data extraction

Two authors screened studies, a third was consulted in cases of disagreement. A data extraction proforma captured the outcomes and study methodology (online supplemental file 1). Two authors extracted data and any discrepancies were resolved by consensus. The contribution of each study to the synthesis was discussed by two review authors who also agreed the quality of the study using a ‘weight of evidence’ assessment tool<sup>12</sup> supplemented by the guidelines from the EQUATOR Network (<http://www.equator-network.org/>). A study was considered high quality if only two to three items on the relevant EQUATOR criteria checklist were dropped. Risk of bias assessment was performed for RCTs using the Cochrane risk of bias tool and the Newcastle Ottawa scale for observational studies.

### Analysis

A preliminary synthesis used tables and a short textual description of each study. This allowed common themes to be developed and outcomes grouped.

The Kirkpatrick framework was used to group the outcomes of Appreciative Inquiry. It was originally developed to categorise outcomes in educational interventions. The version used here provides greater detail than the original version to enable a better understanding the effectiveness of interventions. The elements include



**Figure 2** PRISMA flow diagram. PRISMA, Preferred Reporting Items for Systematic Reviews and Meta-Analyses.

reaction of participants; modification of attitudes/perceptions; acquisition of knowledge or skills; behavioural change; change in organisational practice; benefits to patients/clients.<sup>13</sup> These categories are used to discuss the available evidence for whether Appreciative Inquiry works.

This study protocol is registered with PROSPERO and this study is reported according to Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA) guidelines. Only the effectiveness of Appreciative Inquiry is reported in this paper. Patients and public were not directly involved in this review.

## RESULTS

From 25 182 citations, there were 15 215 titles after deduplication. Following screening 41 papers were eligible for inclusion which report 33 studies. The process and reasons for exclusion are shown in the PRISMA diagram (figure 2). For those not reaching full-text screening, reasons for exclusion were mainly because studies were not about Appreciative Inquiry or healthcare. Online supplemental file 2 summarises each study and shows which records are related to each study. Throughout the Results section, all records of studies discussed will be referenced; therefore, where there is more than one record, both of these references will appear.

The weight of evidence attributed to each study is presented in online supplemental file 2. There are no high-quality randomised controlled trials of this intervention nor are there any other high-quality quantitative studies. There are, two well-conducted qualitative

studies.<sup>14–16</sup> Despite this, the included studies are highly relevant to the review.

A summary of results is presented in table 1. Due to the number of studies, it is not possible to give detailed examples from each; therefore, an exemplar of the evidence for each of the Kirkpatrick areas will be discussed.

### How do healthcare workers react to Appreciative Inquiry?

Sixteen studies report a largely positive reaction to Appreciative Inquiry.<sup>14–33</sup> Staff found it enjoyable, refreshing and lively. When looking at the higher quality studies,<sup>14–16 18–21</sup> these positive experiences are also reported. One high-quality study raises the issue that attending Appreciative Inquiry sessions is challenging.<sup>20 21</sup> Three lower quality studies also contribute accounts, which are not wholly positive.<sup>25 32 33</sup> However, all studies report that staff engaged with the process. Appreciative Inquiry allowed staff to reflect on their role, in one study a nurse reported that ‘I now remember why I became a nurse’.<sup>22</sup>

The four studies that reported negative reactions discussed how staff found it difficult to maintain attendance<sup>20 21</sup> or to make time for Appreciative Inquiry activities.<sup>25</sup> One study observes that Appreciative Inquiry does not work all of the time,<sup>32</sup> and this is reflected in another study where they are unsure whether Appreciative Inquiry is effecting change.<sup>33</sup>

Despite some conflicting reactions, the available evidence suggests a positive participant reaction to Appreciative Inquiry, although due to the quality of these studies, the strength of this evidence is weak.

### Does Appreciative Inquiry change the attitudes of staff?

Seventeen studies reported a positive change in staff attitudes.<sup>6 7 17 18 21 23–25 27 29–41</sup> Over half focus on healthcare practitioners understanding each other better, team working and creating common ground.<sup>6 7 17 18 23 32–34 36 37 39 41</sup> The higher quality studies support these results. There is discussion of improved self-esteem<sup>9</sup> and developing a shared purpose.<sup>34</sup> One medium-quality study describes a powerful image of a ‘pathbreaking experience’ for the cleaning staff, who sat on the floor at an equal level with their superiors, which was a ‘highlight of their service’.<sup>18 19</sup>

Other outcomes include desire to gain knowledge and provide consistent care<sup>36</sup>; desire to embrace change<sup>22 39</sup>; feeling empowered and enthusiastic<sup>25</sup> and increasing motivation and professional self-confidence.<sup>30–32</sup>

The studies report positive changes in attitude; however, the strength of evidence for this is weak.

### Does Appreciative Inquiry improve the knowledge and skills of healthcare workers?

Fourteen studies report<sup>6 7 13–16 19 20 23 32 38 40–47</sup> improvements in knowledge and skills, but this was not universal. There were two studies with quantitative measures of knowledge, one of which was high quality. Both showed an increase in knowledge scores following the implementation of Appreciative Inquiry.<sup>17 20 21</sup> However, one element of the low-quality study,<sup>17</sup> the group learning,

**Table 1** A summary of the results containing examples of evidence according to Kirkpatrick areas

Study ID	Reaction	Attitudes	Knowledge/skills	Behaviour	Organisational practice	Benefits to patients
Randomised controlled trial						
Ruhe <i>et al</i> <sup>34</sup>	X	Shared purpose and identity	X	Developing action steps and timelines	No change in the preventative service delivery score. New staff morale activities & patient care systems.	X
Controlled Observational Studies						
Chen <i>et al</i> <sup>17</sup>	Highly satisfied with the programme	X	Improved scores for self-learning. Group-learning improvement not significant	X	X	X
Hussein <i>et al</i> and Sharma <i>et al</i> <sup>8,9</sup>	X	Improved self esteem and understanding of each others roles, management more approachable.	Improved knowledge about infection control and the importance of cleanliness.	Improved teamwork, better work allocation, definition of responsibilities. Changes in infection control practice for example, handwashing	Regular staff meetings introduced or improved to make discussion of infection prevention more effective.	Lower infection incidence in the intervention compared with the control group
Joshi and Subramanyan and Joshi <i>et al</i> <sup>18,19</sup>	Positive reaction to content	Working together better	X	X	Better relationships with the communit. Cleaner surroundings	Improved patient satisfaction in exit interviews
Kavanagh <i>et al</i> <sup>20,21</sup> and Kavanagh	Enjoyable and refreshing but challenging to attend	X	Mean knowledge scores increased over time	No evidence of behaviour change of staff	X	No difference in children's pain intensity scores
Moorer <i>et al</i> <sup>49</sup>	X	X	X	Altered practice to round hourly on patients and hold multidisciplinary bedside ward rounds	Senior leaders visiting the clinical areas, snack cart being available when patients waiting for beds.	Improved patient experience measured by recommending to a friend.
Page <i>et al</i> <sup>50</sup>	X	X	X	Staff have a series of conversations with patients to discuss their needs, and develop or begin a care plan.	Care plan now exists and families have ownership of it and carry it around. Clear expectations on staff to complete this.	Carers feel more involved in care planning and decision making on intervention wards.
Shendell-Falik <i>et al</i> <sup>35</sup>	X	Understanding of each other's challenges	X	X	Improved adherence to guidelines. Introduction of new protocols. Increased satisfaction and teamwork	Improved patient satisfaction from 79.1% to 87.2%
Stefaniak <sup>22</sup>	Positive reaction and general enjoyment	Desire to spread Appreciative Inquiry	X	X	Decreased vacancy and turnover rates. New recruitment CD and exit interviews. Staff morale activities	X

Continued

Table 1 Continued

Study ID	Reaction	Attitudes	Knowledge/skills	Behaviour	Organisational practice	Benefits to patients
Wagh <i>et al</i> <sup>52</sup>	X	X	X	X	X	Reduction in cases diagnosed and a reduction in the false positive case
Qualitative studies						
Carter <i>et al</i> and Carter <sup>14,15</sup>	Positive sharing of practice and stories	X	Understanding of what makes things work well	X	Single point of referral system now being piloted	X
Dewar <i>et al</i> <sup>43-45</sup>	X	X	A better sense of understanding the needs of patients	Altered interactions with patients & carers	Focus on meeting the patients non-medical needs using positive caring statements	X
Trajkovski <i>et al</i> <sup>16</sup>	Positive experience	X	Understanding the needs of parents	X	X	X
Yoon <i>et al</i> <sup>36</sup>	X	Desire to gain knowledge and provide consistent care	X	Changes implemented by 4/9 people for example, increased the agenda for regular staff oral care frequency	Oral care incorporated into the agenda for regular staff meetings	X
Non-Randomised Observational Studies						
Aggett <i>et al</i> <sup>23</sup>	Useful and relevant	X	X	Better discussion of and culture around clinical risk	Regular meetings to highlight practices reducing risk. 30% feel clinical decision making improved	X
Alfred and Shohet and Hobbs <sup>37,38</sup>	X	Improved teamwork, better interpersonal relationships, common goals	X	Improved communication and appreciation; emails and meeting agenda items	Reduced staff turnover (by 3%) reduced sickness (by 2%)	X
Baker and Wright <sup>24</sup>	Positive experience	Brought people closer together	Identification of key aspects for successful managed care networks	Changing individual practice for example by greeting patients.	Regular multi-disciplinary meetings. Joint clinic started with email access to the specialist centre and appointed representatives in one region.	X
Brookes <sup>39</sup>	X	Desire to embrace change	Staff developing knowledge as a team resource	X	Six monthly basic life support introduced	X
Buck <sup>40</sup>	X	Sense of community scores insignificant improvements. Likelihood to leave increased.	X	X	X	X

Continued

Study ID	Reaction	Attitudes	Knowledge/skills	Behaviour	Organisational practice	Benefits to patients
Campbell <i>et al</i> <sup>25</sup>	Favourable experience but no time	Feeling of empowerment and enthusiasm	X	X	X	X
Carter <i>et al</i> <sup>26</sup>	Lively discussions	X	X	X	New patient pathway, changed care delivery model, monthly staff meetings	X
Challis <sup>46</sup>	X	X	Factors effecting nurse longevity	X	Reduction in vacancy rate	X
Clarke <i>et al</i> <sup>47</sup>	X	X	How to achieve good handoffs	X	Development and implementation of a transfer checklist	X
Clossey <i>et al</i> <sup>27</sup>	Positive staff reports	X	X	X	Design of more user friendly paperwork	X
Gulliar and Start <sup>48</sup>	X	X	Understanding of what patients need from staff	X	Collaboration with local diabetologist, patient education support group and patient held notes developed	X
Halm and Crusoe <sup>51</sup>	X	X	X	X	More frontline workers took part in shared leadership councils and there were better relationships between departments	X
Havens <i>et al</i> <sup>28</sup>	Excitement and a feeling of positive insights	Transforming their approach to infection prevention and departmental vision	X	Meetings, start with the positive; improved interdepartmental communication; altered human resources interactions	Appreciative start to each meeting in some hospitals. Use of Appreciative Inquiry to frame employee surveys and patient satisfaction feedback sessions	X
Jaccai and Dorman <sup>29</sup>	Effective approach	X	X	X	Implementation of knowledge management resource and a leadership education series. No one performing hospital in area surgical and pneumonia care	Improved patient satisfaction by 37% and the birth centre being ranked in the 99 <sup>th</sup> percentile nationally
Lazic <i>et al</i> <sup>30,31</sup>	High satisfaction with course	Motivation and professional self confidence	X	X	X	X

Continued

Study ID	Reaction	Attitudes	Knowledge/skills	Behaviour	Organisational practice	Benefits to patients
Mash <i>et al</i> <sup>41</sup>	X	Staff more satisfied and motivated	Improvements attempted but skill improvement confined to certain groups.	Well functioning team	Improved patient education, patient support groups, regular team meetings, summary sheet for patients, implementation of national foot screening guidelines & retinal screening	X
Messerschmidt <sup>32</sup>	Spirit raising, but doesn't always work	Increased social equality and self confidence	X	Nurses taking initiative; cleaners working harder	gX	X
Reed <i>et al</i> <sup>33</sup>	Enjoyable but not sure if its effective	Shared organisational perspective	Understanding of the system and how it worked	X	X	X
Seebomh <i>et al</i> <sup>42</sup>	X	Less isolation, understand need to build relationships	Understanding of the needs and desires of patients	X	X	X

Table 1 Continued

was poorly implemented, and knowledge scores for this element did not increase.

A common theme was understanding of the needs of patients and families.<sup>16 42–45 48</sup> In one study, parents in a neonatal unit shared how they wanted to be treated, including being seen as important, being involved in their baby's 'firsts' and fathers being more involved.<sup>16</sup> Healthcare practitioners developed a better understanding of the system and how it works.<sup>14 15 24 33</sup> Other studies reported new knowledge around performing good handovers<sup>47</sup> and understanding what factors contributed to nursing longevity.<sup>46</sup>

The quantitative evidence for Appreciative Inquiry improving knowledge and skills is equivocal, based on two studies one of which is poor quality. The remaining evidence, although weak, suggests that knowledge and skills can improve using Appreciative Inquiry.

### Does Appreciative Inquiry facilitate behaviour change?

Thirteen studies reported behaviour change of staff,<sup>4 8 9 20 21 23 24 28 32 34 36–38 41 43 44 49 50</sup> including three in a quantitative way.<sup>20 21 23 41</sup> The highest quality study was a controlled study, which showed no change in pain score of the patients.<sup>20 21</sup> The other two studies were lower quality. One used a survey to ask about whether staff changed their behaviour in terms of discussing clinical risk: 70% felt it had improved.<sup>23</sup> In the final study, a team-work survey showed that the teams were performing well; however, there was no pre-intervention or discriminatory questions about the change in behaviour.<sup>41</sup>

The remaining 10 studies reported behaviour change qualitatively.<sup>6 7 23 31 33 35–37 42–44 48 49</sup> In the highest quality study, improved teamwork resulted in better allocation of work, clear responsibilities and changes in individual practice. The medium-quality study reported how a team developed action steps.<sup>34</sup> Other studies contributing evidence were of low quality. One reported 92% of commitments to change were implemented.<sup>36</sup> Five studies observed that staff changed their interactions with patients.<sup>24 36 43–45 49 50</sup> Examples of this include nurses increasing the frequency and consistency of oral care in a rehabilitation hospital<sup>36</sup> and nurses doing hourly rounding to ensure patient's needs (eg, toileting and comfort) are met.<sup>49</sup> Communication also featured. One study reported improved communication and appreciation of staff<sup>37 38</sup> and another discussing altered interactions with human resources.<sup>28</sup> One study reported that nurses took more initiative and that cleaners worked harder to keep surroundings clean.<sup>32</sup>

While there is no high-quality evidence for Appreciative Inquiry resulting in behaviour change, the evidence that is available suggests that change does occur, although it is weak.

### Does Appreciative Inquiry lead to organisational change?

Twenty-three studies describe organisational change<sup>8 9 14 15 18 19 22–24 26–29 34–39 41 43–51</sup>, six measured it.<sup>22 23 34 35 37 38 46</sup> The medium-quality randomised



controlled trial measured preventative service delivery score, in primary care practices. The study showed no change.<sup>34</sup>

The remaining studies were of low quality. One controlled study showed improved delivery of patient care through nutritional assessment by 11% and adherence to cardiac enzyme regimens increased by 9.2%. There was increased nursing satisfaction and teamwork.<sup>35</sup> A non-controlled study identified that 30% of staff felt that clinical decision-making had improved.<sup>23</sup>

Retention and recruitment were discussed in three studies; in one of the controlled studies, turnover decreased from 10.35% to 8.42%, with vacancy rate decreasing from 6.2% to 4.1%.<sup>22</sup> One of the non-controlled studies showed a decreased staff turnover by 3% and sickness by 2%; however, this could represent normal variation.<sup>37 38</sup> Finally, the vacancy rate fell from 12.1% to 8.9% in another non-controlled study.<sup>46</sup>

Other studies made observations about changes that were implemented. The highest quality study discussed the introduction or improvement of regular staff meetings across the sites.<sup>8 9</sup> The medium-quality studies report new staff activities, systems<sup>34</sup> and improved surroundings.<sup>18 19</sup>

Some areas of change were described in multiple studies: altered patient care pathways or protocols<sup>26 34 35 47 50</sup>; new mechanisms for delivering care<sup>14 15 24 26 48</sup>; positive interactions with Human Resources<sup>22</sup>; staff meetings were initiated or altered<sup>8 9 23 24 26 36 51</sup> and staff education or training was improved.<sup>29 39</sup>

The trial did not show quantitative evidence of organisational change. The controlled studies showed that Appreciative Inquiry can change organisational practice and qualitative studies and non-controlled studies, which report on organisational practice, reported positive changes. While the evidence is weak, it does suggest that Appreciative Inquiry has the potential to improve organisational practice.

### Does Appreciative Inquiry lead to improved patient outcomes?

Of the eight studies reporting patient outcomes,<sup>8 9 18–21 29 35 49 50 52</sup> four were high/medium-quality controlled studies<sup>8 9 18–21</sup> and four were low-quality non-randomised studies.<sup>29 35 49 50</sup>

Of the higher quality studies, the controlled study in India, aiming to reduce puerperal infection rates, followed up 8124 women. It revealed decreased incidences of infection in the control (7.4% to 3.5%) and intervention (4.3% to 1.7%) groups; although the levels in the intervention group fell more, this was not statistically significant. However, this was on a background of a decreased infection rate in both groups and a larger percentage point decrease in the control group, and, therefore, firm conclusions are difficult to draw.<sup>8 9</sup> Another controlled study which measured pain intensity scores in a paediatric ward showed no difference.<sup>20 21</sup> A medium-quality study aimed to improve leprosy detection

and false-positive rates. They saw a reduction in the false-positive rate of -9% (95% CI -20 to 1.3).<sup>52</sup> This suggests that there is no strong evidence to support Appreciative Inquiry being effective.

Another higher quality study and the three lower quality ones report on patient satisfaction scores. A controlled study from India found that 89% of patients were satisfied with the care pre-intervention and 96% after. They also saw a 28% improvement in patient-reported attentiveness of staff and a 20% improvement in patients feeling that staff had treated them well. The control group remained stable.<sup>18 19</sup>

One lower quality controlled study measured patient satisfaction in a US hospital with a focus on cardiac patients. Patient satisfaction with care improved by 10.2%.<sup>35</sup> Another that reported improved satisfaction was a case study of a health system in the USA. Their scores improved by 37%.<sup>29</sup> The final study reported that more patients would 'definitely' recommend the hospital to a friend after the study (74.4%) compared with before (68.9%).<sup>49</sup> These studies did not report on measures of spread.

One low-quality study reported the impact of the intervention on carers.<sup>50</sup> 89% felt involved in care planning post-intervention compared with 66% before, and carers felt consulted about decisions in 100% of cases post-intervention compared with 92% before, although no confidence intervals are provided.<sup>50</sup>

In summary, five studies, one medium-quality and three low-quality showed improvements in patient satisfaction, and one showed improved involvement in decision-making. The three higher quality studies showed no significant changes. The evidence contributing to this is not persuasive as it is neither of high quality nor consistent. The lower quality studies do suggest that there may be a trend towards improvement in patient care following Appreciative Inquiry; however, the evidence for any improvement is weak.

### DISCUSSION

We identified 33 studies using Appreciative Inquiry to change clinical care. The majority were small change initiatives, lacking methodological rigour. Appreciative Inquiry as an approach to improve the quality of healthcare and patient safety is in its infancy but, despite weak evidence of its effectiveness due to the low-quality of studies, the positive reports suggest it warrants more rigorous evaluation.

An important consideration is the philosophy of Appreciative Inquiry,<sup>5</sup> with the idea that the world is open to constant revision, which is not immediately congruent with positivist methods of evaluation such as randomised controlled trials. Consistent with this incongruence, we only identified one trial that met the inclusion criteria for this review,<sup>34</sup> and one further healthcare trial that did not.<sup>53</sup> It is more likely that action research approaches would favour evaluation methodologies rather than

clinical trials, and this may be one reason for the small number of controlled studies.

Patient satisfaction is one area which Appreciative Inquiry could plausibly affect because it may foster changes at an interpersonal level. Analysis of Appreciative Inquiry in other settings has suggested that both the process (eg, the discovery phase) and the philosophy (the unconditional positive question) shape the relationships that are formed and through this discourse relationships can flourish.<sup>54</sup> This is supported by our recently published study focusing on improving staff working lives using Appreciative Inquiry where relationships and patient experience improved.<sup>55</sup>

In terms of patient outcomes, there is some promising evidence for the use of Appreciative Inquiry from a study of infection control measures,<sup>8,9</sup> although the study was underpowered, and from a leprosy study in India.<sup>52</sup> The only other study on pain management in paediatrics looking at patient outcomes reported no change during the study.<sup>20,21</sup> However, for patient outcomes, there are three key issues: whether the Appreciative Inquiry is aiming to affect change in this area, whether the intervention actually affects change, and if it can be accurately measured. Many studies did not attempt measurement. Sample sizes were too small to demonstrate or attribute change to the intervention, nor may it be possible to attribute change in patient outcomes to a complex intervention.<sup>56</sup> Furthermore, for predefined patient outcomes to be measured, the focus of the Appreciative Inquiry needs to be predetermined. This could reduce its effectiveness, as participants may not be focusing on what is important to them, instead focusing on a more conventional change process. A broad analysis of Appreciative Inquiry methods has shown that when this happens, change due to Appreciative Inquiry is less likely to be transformational.<sup>57</sup> Methods which were used in studies in this review to incorporate this included allowing the team to choose its own idea first<sup>34</sup> and introducing best practice guidelines as part of the process.<sup>36</sup>

Finally, interventions need time to embed, so longer study durations may be required. When considering evidence from social work, interventions can take 2–4 years to implement.<sup>58</sup> This is similarly modelled when considering the evidence-to-practice gap in healthcare.<sup>59</sup> Considering Appreciative Inquiry specifically, we have shown on a small scale in our recent paper, how organisations take up interventions in different ways.<sup>55</sup>

There is no clear evidence to suggest that Appreciative Inquiry can change patient outcomes. However, it seems unlikely that it will cause harm to patients, and there is some promising, although poor-quality and inconclusive evidence for its use.

The evidence for Appreciative Inquiry changing the way organisations work is more convincing and plausible considering evidence from outside of healthcare.<sup>7</sup> Changes included reduced staff turnover, sickness and altered protocol adherence. However, success was not universal. Many studies reported changes such as morale

improvement activities, altered human resources policies and new patient care pathways. While these were not captured in a quantitative manner, their introduction impacts organisational practice and may go on to affect measurable outcomes.<sup>60</sup>

There is some evidence to suggest that behaviour change is possible with Appreciative Inquiry. Appreciative Inquiry seemed to produce positive outcomes for knowledge and skill development, with the two studies which measured this outcome quantitatively showing improved knowledge, with other qualitative reports of changed behaviour. Attitudes changed following Appreciative Inquiry, particularly teamwork, understanding each other and communication.

Appreciative Inquiry is reported in a largely positive light, with few negative findings. This may be because the ethos is to focus on the positive and authors are often synonymous with the implementation team. This reporting bias may result in overly positive accounts of Appreciative Inquiry. An additional weakness of the available literature is publication bias. It is unlikely that negative findings of Appreciative Inquiry interventions would be published outside of a rigorous evaluation, adding to the positive slant on the literature.

Another influence is that Appreciative Inquiry is often instigated for quality improvement rather research. Most of the studies capture qualitative data or are reports of real-life implementation, with few studies systematically collecting outcome data. While this may have positives, for example, the organisation being committed to change, it makes interpretation of the impact of Appreciative Inquiry difficult. Nonetheless, from the limited evidence available, Appreciative Inquiry does seem to bring about change within organisations and the Kirkpatrick model helps in illuminating this.

The Kirkpatrick framework was not designed for organisational change studies, and, therefore, it is not perfect. For example, it does not consider the implementation or context of the intervention.<sup>61</sup> However, it was a useful framework to consider heterogenous outcomes.

The current evidence of the effectiveness of Appreciative Inquiry is not conclusive, with a lack of empirical evidence for process or clinical outcomes. The studies identified in this review suggest that Appreciative Inquiry has the potential to effect positive change for patients and organisations. It could, therefore, be particularly useful in the context of the needing to improve quality and safety of a service. However, to draw firm conclusions about the effectiveness of Appreciative Inquiry, high-quality studies are required.

#### Author affiliations

<sup>1</sup>Academic Women's Health Unit, Bristol Medical School, University of Bristol, Bristol, UK

<sup>2</sup>Institute of Applied Health Research University of Birmingham, Birmingham, UK

<sup>3</sup>Royal Manchester Children's Hospital, Manchester, UK

<sup>4</sup>Independent Maternal Health Consultant, Aberdeen, UK

<sup>5</sup>Department of Psychology, Aston University, Birmingham, UK

<sup>6</sup>North Bristol NHS Trust, Westbury on Trym, UK

<sup>7</sup>Bristol Medical School, University of Bristol, Bristol, UK

<sup>8</sup>University College London, London, UK

<sup>9</sup>Malawi University of Science and Technology, Limbe, Southern Region, Malawi

<sup>10</sup>Institute for Metabolism and Systems Research University of Birmingham, Birmingham, UK

**Twitter** Abi Merriel @abimerriel

**Contributors** AMe conceived the study, AMe/JH/ML/ACoo refined the question and planned methodology, KB ran searches, AMe/AW/ED/MOD screened and extracted data, AMe performed initial analysis, ALL contributed to interpretation, AMe wrote the first draft of the paper, ALL critically contributed to the final draft. AMe is the guarantor for this study.

**Funding** The authors have not declared a specific grant for this research from any funding agency in the public, commercial or not-for-profit sectors.

**Competing interests** None declared.

**Patient and public involvement** Patients and/or the public were not involved in the design, or conduct, or reporting, or dissemination plans of this research.

**Patient consent for publication** Not applicable.

**Ethics approval** Not applicable.

**Provenance and peer review** Not commissioned; externally peer reviewed.

**Data availability statement** Data sharing not applicable as no datasets generated and/or analysed for this study.

**Open access** This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited, appropriate credit is given, any changes made indicated, and the use is non-commercial. See: <http://creativecommons.org/licenses/by-nc/4.0/>.

#### ORCID iD

Abi Merriel <http://orcid.org/0000-0003-0352-2106>

## REFERENCES

- Smith AF, Plunkett E. People, systems and safety: resilience and excellence in healthcare practice. *Anaesthesia* 2019;74:508–17.
- Richer M-C, Ritchie J, Marchionni C. Appreciative inquiry in health care. *British Journal of Healthcare Management* 2010;16:164–72.
- Cooperrider DL, Whitney D, Stavros J. *Appreciative inquiry Handbook*. Crown Publishing, 2008.
- Watkins S, Dewar B, Kennedy C. Appreciative inquiry as an intervention to change nursing practice in in-patient settings: an integrative review. *Int J Nurs Stud* 2016;60:179–90.
- Cooperrider DL, Srivastva S. Appreciative inquiry in organisational life. *Res Organ Change Dev* 1987;1:129–69.
- Cooperrider DL, Whitney D. *Appreciative inquiry: a positive revolution in change*. Berrett-Koehler, 2005.
- Bushe GR, Kassam AF. When is appreciative inquiry transformational? A meta-case analysis. *J Appl Behav Sci* 2005;41:161–81.
- Hussein J, Ramani KV, Kanguru L, et al. The effect of surveillance and appreciative inquiry on puerperal infections: a longitudinal cohort study in India. *PLoS One* 2014;9:e87378.
- Sharma B, Ramani KV, Mavalankar D, et al. Using 'appreciative inquiry' in India to improve infection control practices in maternity care: a qualitative study. *Glob Health Action* 2015;8:26693.
- Popay J, Roberts H, Sowden A, et al. *Guidance on the conduct of narrative synthesis in systematic reviews*, 2006.
- Mays N, Pope C, Popay J. Systematically reviewing qualitative and quantitative evidence to inform management and policy-making in the health field. *J Health Serv Res Policy* 2005;10:6–20.
- Gough D. Weight of evidence: a framework for the appraisal of the quality and relevance of evidence. *Res Pap Educ* 2007;22:213–28.
- Barr H, Freeth D, Hammick M, et al. *Evaluation of interprofessional education: a United Kingdom review for health and social care*, 2000.
- Carter B, Cummings J, Cooper L. An exploration of best practice in multi-agency working and the experiences of families of children with complex health needs. what works well and what needs to be done to improve practice for the future? *J Clin Nurs* 2007;16:527–39.
- Carter B. "One expertise among many" working appreciatively to make miracles instead of finding problems: Using appreciative inquiry as a way of reframing research. *J Res Nurs* 2006;11:48–63.
- Trajkovski S, Schmied V, Vickers M, et al. Using appreciative inquiry to bring neonatal nurses and parents together to enhance family-centred care: a collaborative workshop. *J Child Health Care* 2015;19:239–53.
- Chen S-P, Krupa T, Lysaght R, et al. Development of a recovery education program for inpatient mental health providers. *Psychiatr Rehabil J* 2014;37:329–32.
- Joshi W, Subramanyan S. Appreciative Inquiry experimental study at Sneha [Internet], 2007. Available: [https://appreciativeinquiry.case.edu/uploads/Al-Quantitative study.doc](https://appreciativeinquiry.case.edu/uploads/Al-Quantitative%20study.doc)
- Joshi W, Nuty J, Aggrawal A. *Development and change in a public health care system an Appreciative inquiry experience from Mumbai, India*, 2010.
- Kavanagh T, Stevens B, Seers K, et al. Process evaluation of appreciative inquiry to translate pain management evidence into pediatric nursing practice. *Implementation Science* 2010;5:1–13.
- Kavanagh P. *Appreciative inquiry: an interactive organisational intervention to translate acute pain management evidence into pediatric nursing practice*. University of Toronto, 2010.
- Stefaniak K. Discovering nursing excellence through appreciative inquiry. *Nurse Lead* 2007;5:42–6.
- Aggett P, Messent P, Staines J. 'Benign invigilation': Using appreciative inquiry to reposition clinical risk in multi-disciplinary CAMH teams. *Clin Child Psychol Psychiatry* 2013;18:260–9.
- Baker A, Wright M. Using appreciative inquiry to initiate a managed clinical network for children's liver disease in the UK. *Int J Health Care Qual Assur* 2006;19:561–74.
- Campbell CP, Lecture HH. Helene Hudson Lecture: positive practice change using appreciative inquiry in oncology primary care nursing. *Can Oncol Nurs J* 2013;23:117–20.
- Carter C, Ruhe M, Weyer S. An appreciative inquiry approach to Rn retention. *Qual Manag Health Care* 2007;166:194–204.
- Closley L, Mehnert K, Silva S. Using appreciative inquiry to facilitate implementation of the recovery model in mental health agencies. *Health Soc Work* 2011;36:259–66.
- Havens DS, Wood SO, Leeman J. Improving nursing practice and patient care: building capacity with appreciative inquiry. *J Nurs Adm* 2006;36:463–70.
- Jaccai A, Dorman H. AI in Healthcare - Whole Systema change at Alice Peck Day - Creating the Best Patient Experience in the World, Right Here at Home. In: Cooperrider DL, Whitney D, Stavros J, eds. *Appreciative inquiry Handbook*. Crown Custom Publishing; 2008. : 296–9p..
- Lazic J, Radenovic M, Arnfield A, et al. Implementation of a nurse education programme in paediatric oncology using appreciative inquiry: a single center experience in Belgrade, Serbia. *Eur J Oncol Nurs* 2011;15:524–7.
- Lazic J, Radenovic M, Arnfield A. Appreciative Inquiry approach in paediatric oncology nurse education: experience of University Children's Hospital, Belgrade, Serbia. In: *Pediatric blood cancer*, 2008.
- Messerschmidt D. Evaluating appreciative inquiry as an organizational transformation tool: an assessment from Nepal. *Hum Organ* 2008;67:454–68.
- Reed J, Pearson P, Douglas B, et al. Going home from hospital -- an appreciative inquiry study. *Health Soc Care Community* 2002;10:36–45.
- Ruhe MC, Bobiak SN, Litaker D, et al. Appreciative inquiry for quality improvement in primary care practices. *Qual Manag Health Care* 2011;20:37–48.
- Shendell-Falik N, Feinson M, Mohr BJ. Enhancing patient safety: improving the patient handoff process through appreciative inquiry. *J Nurs Adm* 2007;37:95–104.
- Yoon MN, Lowe M, Budgell M, et al. An exploratory investigation using appreciative inquiry to promote nursing oral care. *Geriatr Nurs* 2011;32:326–40.
- Alfred R, Shohet R. Appreciative Inquiry At The Manchester Heart Centre What's The Best Day You've Ever Had At Work? In: Edmonstone J, ed. *Building on the Best - Appreciative Inquiry in the NHS*. Kingsham Press, 2006.
- Hobbs A. Down to earth. *Health Serv J* 2004;114:20–1.
- Brookes J. Engaging staff in the change process. *Nurs Manag* 2011;18:16–18.
- Buck J. Retention remedy: building a sense of community through appreciative inquiry. *Nurs Manage* 2017;48:9–12.
- Mash R, Levitt NS, Van Vuuren U, et al. Improving the annual review of diabetic patients in primary care: an appreciative inquiry in the Cape town district health services. *South African Family Practice* 2008;50:50–50d.

- 42 Seebohm P, Barnes J, Yasmeen S, *et al.* Using Appreciative inquiry to promote choice for older people and their carers. *Ment Health Social Incl* 2010;14:13–21.
- 43 Dewar B, Mackay R. Appreciating and developing compassionate care in an acute hospital setting caring for older people. *Int J Older People Nurs* 2010;5:299–308.
- 44 Dewar B, Nolan M. Caring about caring: developing a model to implement compassionate relationship centred care in an older people care setting. *Int J Nurs Stud* 2013;50:1247–58.
- 45 Dewar B, Kennedy C. Strategies for Enhancing "Person Knowledge" in an Older People Care Setting. *West J Nurs Res* 2016;38:1469–88.
- 46 Challis AM. An appreciative inquiry approach to Rn retention. *Nurs Manage* 2009;40:9–13.
- 47 Clarke D, Werestiuk K, Schoffner A, *et al.* Achieving the 'perfect handoff' in patient transfers: building teamwork and trust. *J Nurs Manag* 2012;20:592–8.
- 48 Guilar J, Start K. Optimizing diabetes care: the appreciative inquiry method. *Practice Nursing* 2001;12:84–5.
- 49 Moorer K, Kunupakaphun S, Delgado E. Using appreciative inquiry as a framework to enhance the patient experience. *Patient Exp J* 2017;4.
- 50 Page S, Rowett R, Davies-Abbott I. Care to talk? A framework for appreciative conversations about dementia: innovative practice. *Dementia* 2017;16:1069–74.
- 51 Halm MA, Crusoe K. Keeping the Magnet® flame alive with appreciative inquiry. *J Nurs Adm* 2018;48:323–8.
- 52 Wagh AN, Mugudalabetta S, Gutierrez NO, *et al.* Does appreciative inquiry decrease false positive diagnosis during leprosy case detection campaigns in Bihar, India? an operational research study. *PLoS Negl Trop Dis* 2018;12:1–16.
- 53 Olayinka OD, Moore SM, Stange KC. Pilot test of an Appreciative inquiry intervention in hypertension self-management. *West J Nurs Res* 2020;42:543–53.
- 54 Bushe G. Appreciative Inquiry: Theory and critique. In: *The Routledge companion to organizational change*, 2011: 87–103.
- 55 Merriel A, Dembo Z, Hussein J, *et al.* Assessing the impact of a motivational intervention to improve the working lives of maternity healthcare workers: a quantitative and qualitative evaluation of a feasibility study in Malawi. *Pilot and Feasibility Studies* 2021;7:1–15.
- 56 Lilford RJ, Brown CA, Nicholl J. Use of process measures to monitor the quality of clinical practice. *BMJ* 2007;335:648–50.
- 57 Bushe GR, Kassam AF. When is appreciative inquiry transformational? A meta-case analysis. *J Appl Behav Sci* 2005;41:161–81.
- 58 Fixsen DL, Blase KA, Naoom SF, *et al.* Core implementation components. *Res Soc Work Pract* 2009;19:531–40.
- 59 Lau R, Stevenson F, Ong BN, *et al.* Achieving change in primary care--causes of the evidence to practice gap: systematic reviews of reviews. *Implement Sci* 2016;11:40.
- 60 Donabedian A. Evaluating the quality of medical care. *Milbank Mem Fund Q* 1966;44:166–203.
- 61 Bates R. A critical analysis of evaluation practice: the Kirkpatrick model and the principle of beneficence. *Eval Program Plann* 2004;27:341–7.